



Corporate Office: #301-302, Park Centra, Sector-30,
National Highway 8, Gurugram, Haryana.
Ph. +91-124 -477 9200

Toll Free: 1800 200 7577 / 1800 103 7577

Follow us



Hindware Italian Tiles



hindwareitaliantiles



Hindware Italian Tiles



hindwareitaliantiles

www.hindwareitaliantiles.com

CERAMIC & VITRIFIED TILES COLLECTION | 2024-25

hindware *italian*
TILES collection



Ceramic &
Vitrified Tiles Collection



About us:

Hindware Italian Collection is a premium tile range that brings the timeless elegance of Italian craftsmanship to your home. Inspired by centuries of tradition, our collection offers a diverse range of designs, from classic to contemporary, to suit any aesthetic.

Each tile is meticulously crafted using the finest materials and undergoes rigorous quality control, ensuring superior durability and beauty. Whether you're looking to create a luxurious bathroom or a sophisticated living room, Hindware Italian Collection provides the ultimate design statement to your home.

The Journey of Excellence:

A Journey began with a dream to transform spaces with exquisite tile collection.

Hindware launched Hindware Italian Collection Tiles in 2022




Inaugurated 1st experience centre in Rajpura, Punjab

Onboarded Tamannaah Bhatia as the brand ambassador



Launched "Larger Than Life" campaign featuring Tamannaah Bhatia & Khali

#BrokenNotWaste
A CSR campaign towards sustainable future



100 Cr
in our 1st Operating Year 2022-23

Crossed 100 Crores sale in 1st operating year.

Forayed into the adhesive industry with Hindware Adhesives & Grouts



Launched Hindware Italian Collection Quartz in 2024



Extensive Distribution Network



580 Active Dealers

Our extensive network of 580 active dealers ensures easy availability of our products across regions.



91 Exclusive Brand Stores

Experience our exclusive range firsthand at 91 dedicated brand stores nationwide.



Strong Presence in 300 Cities

We proudly serve customers in over 300 cities, offering quality tiles with unmatched accessibility




8 C&Fs PAN India

Our 8 strategically located C&F centers ensure timely delivery and seamless supply across India.




*Inspired by Life
&
Forms of Nature*


Tile Surfaces




Matt



Polish




Glossy




Rustic




SPL EFF / Granule




Sugar



Anti Skid



Rain Drop



Carving

The collection presents a superior range of aesthetic and practical tile surfaces for self-expression and functional needs of various spaces.

Surface Advantages



Quality Raw
Materials



No Alteration
In Colour



Versatile For
Any Project



Easy To
Clean



Resistant To
Heavy Loads



Hygienic
Surface



Resistant
To Scratches




Surface Suitable For
Contact With Food

Rich in technical and physical attributes, the *meticulously crafted surfaces* are highly resilient for extensive use and easy maintenance.




Resistant To Heat & Fire

Resistant to high temperature, the surfaces are ideal for spaces like kitchens, dining tables, and more for increased safety against heat & fire mishaps.



Non-Absorbent Surface

Non-porous surfaces prevent excessive water absorption and discourage staining and microbial growth.



Resistant To Frost

Robust surfaces resist damage and stay unaffected in freeze-thaw conditions making them an excellent choice for cold regions.



Resistant To Liquids & Acids

Special glaze and non-porous characteristic of the surface prevents damages arising due to liquids, acids and other chemicals.

Areas Of Application

Craft elegant and functional spaces with a wide range of tiles, sizes, and surface selection, facilitating greater application possibilities.



Resistant Kitchen Spaces

The ideal-sized surfaces and features of the collection allow you to craft highly resistant kitchens that resist heat, water, stains, and much more.



Lasting Outdoor Spaces

The surfaces of the collection perform impressively in outdoor conditions, efficiently resisting heat, sun, heavy footfall, and more.



Elegant Living Spaces

The collection's design and color range facilitate the design of impressive living spaces where you can reflect your style and personality.



Safe Bath Spaces

Impervious to water, moisture, chemicals, and more, the tiles offer safe and sanitary bath spaces that do not harbor microbial growth.

Index

We present you with a versatile array of tile solutions catering to tile needs indoors and outdoors.

WALL CERAMIC	14
300x600mm	
CERAMIC ELEVATION	28
300x600mm	
WALL CERAMIC	40
300x450mm	
CERAMIC ELEVATION	96
300x450mm	
GRESELAIN VOGUE COLLECTION	106
600x1200mm	
GRESELAIN	116
600x600mm	
DOUBLE CHARGE	136
600x600mm	
PARKING GRESELAIN	144
400x400mm	
COOL TILE	166
300x300mm	
ADHESIVE & GROUTS	170
RX100 - GREY, RX200 - GREY, RX300 - WHITE RX400 - WHITE, Rx500 - GREY, EPOXY GROUT, CEMENTITIOUS GROUT	
TECHNICAL SPECIFICATIONS	176

WALL CERAMIC

Accentuate your walls, offer enduring characteristics and resilience, and turn them into low-maintenance with wall ceramic tiles available in 300x600mm size and multiple surfaces.

300x
600mm

Available Surfaces

Glossy / Matt





Wall _ Cinque



Caiz LT



Caiz HL




Caiz DK



Caiz DK FL

Caiz
Finish_ **Glossy**
Thickness_ **8.5 mm**
Category_ **1**



Cinque Light



Cinque HL




Cinque Dark



Cinque Dark FL

Cinque
Finish_ **Glossy**
Thickness_ **8.5 mm**
Category_ **1**




Delight Light



Delight HL




Delight Dark



Delight Dark FL

Delight
Finish_ **Glossy**
Thickness_ **8.5 mm**
Category_ **1**






Diamante White



Diamante HL




Diamante White FL

Diamante
Finish_ **Glossy**
Thickness_ **8.5 mm**
Category_ **1**



Scan For 360° View



Dizo Crema




Dizo Crema HL 1


Dizo
Finish_ **Glossy**
Thickness_ **8.5 mm**
Category_ **1**




Scan For 360° View




Fabia Light



Fabia HL



Fabia Dark




Fabia Dark FL

Fabia
Finish_ **Glossy**
Thickness_ **8.5 mm**
Category_ **1**



Scan For 360° View



Fiore Light



Fiore HL 1



Fiore Dark



Fiore HL 2



Fiore Dark FL


Fiore
Finish_ **Glossy**
Thickness_ **8.5 mm**
Category_ **1**



Scan For 360° View



Heavens Light



Heavens Light HL



Heavens Light FL


Heavens
Finish_ **Glossy**
Thickness_ **8.5 mm**
Category_ **1**




Scan For 360° View



Helux Light



Helux HL



Helux Dark




Helux Dark FL


Helux
Finish_ **Glossy**
Thickness_ **8.5 mm**
Category_ **1**




Scan For 360° View



Kashirimi White



Kashirimi White HL




Kashirimi White FL


Kashirimi
Finish_ **Glossy**
Thickness_ **8.5 mm**
Category_ **1**



Scan For 360° View




Lerox Light



Lerox HL



Lerox Dark




Lerox Dark FL

Lerox
Finish_ **Glossy**
Thickness_ **8.5 mm**
Category_ **1**



Scan For 360° View



Mozill Light



Mozill HL



Mozill Dark




Mozill Dark FL

Mozill
Finish_ **Glossy**
Thickness_ **8.5 mm**
Category_ **1**



Scan For 360° View



Prima Bianco




Prima Bianco HL 1


Prima
Finish_ **Glossy**
Thickness_ **8.5 mm**
Category_ **1**




Scan For 360° View



Progetto Brown Light



Progetto Brown HL



Progetto Brown Dark




Progetto Brown Dark FL


Progetto Brown
Finish_ **Glossy**
Thickness_ **8.5 mm**
Category_ **1**




Scan For 360° View



Progetto Grey Light



Progetto Grey HL



Progetto Grey Dark



Progetto Grey Dark FL

Progetto Grey
Finish_ **Glossy**
Thickness_ **8.5 mm**
Category_ **1**



Scan For 360° View



Radiant Light



Radiant HL



Radiant Dark



Radiant Dark FL


Radiant

Finish_ **Glossy**
Thickness_ **8.5 mm**
Category_ **1**

Scan For 360° View



Tita Bianco



Tita HL 1

Tita

Finish_ **Glossy**
Thickness_ **8.5 mm**
Category_ **1**

Scan For 360° View



Vegas Light



Vegas HL



Vegas Dark




Vegas Dark FL

Vegas

Finish_ **Glossy**
Thickness_ **8.5 mm**
Category_ **1**

Scan For 360° View



Zemo White




Zemo White HL 1

Zemo


Finish_ **Glossy**
Thickness_ **8.5 mm**
Category_ **1**

Scan For 360° View







Glacier Light



Glacier HL 1



Glacier Dark



Glacier Dark FL

Glacier

Finish_ **Matt**
Thickness_ **8.5 mm**
Category_ **1**

Scan For 360° View



Mazzini Light



Mazzini HL



Mazzini Dark




Mazzini Dark FL


Mazzini

Finish_ **Matt**
Thickness_ **8.5 mm**
Category_ **1**


Scan For 360° View




Lavish Light



Lavish HL



Lavish Dark




Lavish Dark FL

Lavish

Finish_ **Matt**
Thickness_ **8.5 mm**
Category_ **1**

Scan For 360° View





Simplex Light



Simplex HL 1



Simplex HL 2



Simplex DK FL


Simplex

Finish_ **Matt**
Thickness_ **8.5 mm**
Category_ **1**

Scan For 360° View



Spaino Light



Spaino HL



Spaino Dark




Spaino Dark FL

Spaino

Finish_ **Matt**
Thickness_ **8.5 mm**
Category_ **1**


Scan For 360° View



Terex Light



Terex HL



Terex Dark



Terex Dark FL

Terex

Finish_ **Matt**
Thickness_ **8.5 mm**
Category_ **1**

Scan For 360° View



CERAMIC ELEVATION

Resilient and elegant, the Ceramic Elevation in 300x600mm size and multiple surface options is an apt solution for elevation walls and other applications outdoors.

300x
600mm

Available Surfaces
Rustic / Rain Drop





Wall _ **Gusev Multi**

Ceramic Elevation | 300x600mm



**Baku Stone
Natural**

Finish_ **Rain Drop**
Random_ **3 Faces**
Thickness_ **10 mm**
Category_ **1**



**Gusev
Multi**

Finish_ **Rain Drop**
Random_ **3 Faces**
Thickness_ **10 mm**
Category_ **1**



**Gusev
Beige**

Finish_ **Rain Drop**
Random_ **3 Faces**
Thickness_ **10 mm**
Category_ **1**



**Gusev
Black**

Finish_ **Rain Drop**
Random_ **3 Faces**
Thickness_ **10 mm**
Category_ **1**



**Alzano Stone
Beige**

Finish_ **Rain Drop**
Random_ **3 Faces**
Thickness_ **10 mm**
Category_ **1**




**Alzano Stone
Nero**

Finish_ **Rain Drop**
Random_ **3 Faces**
Thickness_ **10 mm**
Category_ **1**



**Ankara Stone
Black**

Finish_ **Rain Drop**
Random_ **3 Faces**
Thickness_ **10 mm**
Category_ **1**



**Ankara Stone
Cotto**

Finish_ **Rain Drop**
Random_ **3 Faces**
Thickness_ **10 mm**
Category_ **1**



Wall _ **Gusev Beige**



Wall _ Delphi Moss



Dahab Stone
Nero

Finish _ Rain Drop
Random _ 3 Faces
Thickness _ 10 mm
Category _ 1



Delphi
Moss

Finish _ Rain Drop
Random _ 2 Faces
Thickness _ 10 mm
Category _ 1



Greece
Beige

Finish _ Rain Drop
Random _ 2 Faces
Thickness _ 10 mm
Category _ 1



Greece
Mos

Finish _ Rain Drop
Random _ 2 Faces
Thickness _ 10 mm
Category _ 1



Gorgeia
Silver

Finish _ Rain Drop
Random _ 2 Faces
Thickness _ 10 mm
Category _ 1



Gorgeia
Nero

Finish _ Rain Drop
Random _ 2 Faces
Thickness _ 10 mm
Category _ 1



Gorgeia
Brown

Finish _ Rain Drop
Random _ 2 Faces
Thickness _ 10 mm
Category _ 1



Gusev
Natural


Finish _ Rustic
Random _ 3 Faces
Thickness _ 10 mm
Category _ 1





Fossae Beige

Finish_ **Rustic**
Random_ **3 Faces**
Thickness_ **10 mm**
Category_ **1**



Fossae Nero

Finish_ **Rustic**
Random_ **3 Faces**
Thickness_ **10 mm**
Category_ **1**



Etho Brown

Finish_ **Rustic**
Random_ **3 Faces**
Thickness_ **10 mm**
Category_ **1**



Etho Red

Finish_ **Rustic**
Random_ **3 Faces**
Thickness_ **10 mm**
Category_ **1**



Nili Stone Brown

Finish_ **Rustic**
Random_ **3 Faces**
Thickness_ **10 mm**
Category_ **1**



Etho Grey

Finish_ **Rustic**
Random_ **3 Faces**
Thickness_ **10 mm**
Category_ **1**



Nili Stone Silver

Finish_ **Rustic**
Random_ **3 Faces**
Thickness_ **10 mm**
Category_ **1**




Nili Stone Nero

Finish_ **Rustic**
Random_ **3 Faces**
Thickness_ **10 mm**
Category_ **1**



Syrtis Natural

Finish_ **Rustic**
Random_ **3 Faces**
Thickness_ **10 mm**
Category_ **1**



California Stone Natural

Finish_ **Rustic**
Random_ **3 Faces**
Thickness_ **10 mm**
Category_ **1**



Wall_ **California Stone Natural**



Duke
Crema

Finish _ **Rustic**
Random _ **3 Faces**
Thickness _ **10 mm**
Category _ **1**




Duke
Beige

Finish _ **Rustic**
Random _ **3 Faces**
Thickness _ **10 mm**
Category _ **1**



Duke
Bianco

Finish _ **Rustic**
Random _ **3 Faces**
Thickness _ **10 mm**
Category _ **1**



Duke
Moss

Finish _ **Rustic**
Random _ **0 Faces**
Thickness _ **10 mm**
Category _ **1**




Crater
Gris

Finish _ **Rustic**
Random _ **3 Faces**
Thickness _ **10 mm**
Category _ **1**




Crater
Nero

Finish _ **Rustic**
Random _ **3 Faces**
Thickness _ **10 mm**
Category _ **1**



Curiosity
Grey

Finish _ **Rustic**
Random _ **3 Faces**
Thickness _ **10 mm**
Category _ **1**



Curiosity
Nero

Finish _ **Rustic**
Random _ **3 Faces**
Thickness _ **10 mm**
Category _ **1**



Crater
Cotta

Finish _ **Rustic**
Random _ **3 Faces**
Thickness _ **10 mm**
Category _ **1**



Jezro
Coal

Finish _ **Rustic**
Random _ **3 Faces**
Thickness _ **10 mm**
Category _ **1**



WALL CERAMIC

Transform your walls with the classic 300x450mm in Wall Ceramic in Glossy, Matt, Sugar, and Anti-Skid, offering superior functional and aesthetic solutions for bathrooms and other spaces.



300x
450mm

Available Surfaces

Glossy / Matt
Sugar / Anti Skid



NEW




Daisy L



Daisy HL



Daisy D



Daisy D FL


Daisy

Finish_ Glossy
Thickness_ 8 mm
Category_ 1



Scan For 360° View

NEW



Cosmos L



Cosmos HL



Cosmos D



Cosmos D FL

Cosmos

Finish_ Glossy
Thickness_ 8 mm
Category_ 1



Scan For 360° View

NEW




Aquarum Light



Aquarum HL 1 A




Aquarum HL 1



Aquarum Dark



Aquarum HL 1 B



Aquarum Dark FL

Aquarum

Finish_ Glossy
Thickness_ 8 mm
Category_ 1



Scan For 360° View

NEW




Amenone L



Amenone HL



Amenone D



Amenone D FL


Amenone

Finish_ Glossy
Thickness_ 8 mm
Category_ 1



Scan For 360° View





Lotous Beige L



Lotous Beige HL 1



Lotous Beige D




Lotous Beige HL 2




Lotous Beige D FL

Lotous
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Clematis L



Clematis HL



Clematis HL 3



Clematis D



Clematis D FL


Clematis
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Lotous Grey Light




Lotous Grey HL A



Lotous Grey Dark




Lotous Grey HL B



Lotous Grey Dark FL

Lotous
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Orson Green L



Orson Green HL




Orson Green D



Orson Green D FL

Orson
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**





Canton L



Canton HL



Canton D



Name FL

Canton

Finish _ Glossy
Thickness _ 8 mm
Category _ 1



Scan For 360° View




Calypso L



Calypso HL



Calypso D



Calypso D FL

Calypso

Finish _ Glossy
Thickness _ 8 mm
Category _ 1



Scan For 360° View



Century L



Century HL



Century D




Century D FL

Century

Finish _ Glossy
Thickness _ 8 mm
Category _ 1



Scan For 360° View



Cerise L



Cerise HL



Cerise D



Cerise D FL

Cerise

Finish _ Glossy
Thickness _ 8 mm
Category _ 1



Scan For 360° View





Gerbera L



Gerbera HL 1



Gerbera D



Gerbera HL 2



Gerbera D FL

Gerbera


Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**




Culinary L



Culinary HL



Culinary D



Culinary D FL

Culinary

Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**



Betta Aqua L




Betta Aqua HL 1



Betta Aqua D



Betta Aqua HL 2



Betta Aqua D FL

Betta Aqua


Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**



Kaiser LT



Kaiser HL



Kaiser DK



Kaiser DK FL

Kaiser

Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**



NEW



Infinity Fendi LT



Infinity Fendi HL 1



Infinity Fendi DK



Infinity Fendi DK FL

Infinity
Fendi

Finish _ Glossy
Thickness _ 8 mm
Category _ 1



Scan For 360° View

NEW



Infinity Pesco LT



Infinity Pesco HL 1



Infinity Pesco DK



Infinity Pesco DK FL

Infinity
Pesco

Finish _ Glossy
Thickness _ 8 mm
Category _ 1




Scan For 360° View


NEW




Infinity Dulin LT



Infinity Dulin HL 2



Infinity Dulin DK



Infinity Dulin DK FL

Infinity
Dulin

Finish _ Glossy
Thickness _ 8 mm
Category _ 1



Scan For 360° View

NEW



Infinity Chinar LT



Infinity Chinar HL 2



Infinity Chinar LT FL

Infinity
Chinar

Finish _ Glossy
Thickness _ 8 mm
Category _ 1



Scan For 360° View





Infinity Lavie LT



Infinity Lavie HL 1



Infinity Lavie HL 2



Infinity Lavie DK



Infinity Lavie DK FL

Infinity
Lavie


Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**



Infinity Aster LT




Endless 013 HL 1



Endless 013 HL 2




Infinity Aster DK




Infinity Aster DK FL

Infinity
Aster


Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**



Dove L




Dove HL 1




Dove HL 2

Dove

Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**



Centro L



Centro HL 1



Centro HL 2

Centro

Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**



Glam L




Glam HL 1



Glam HL 2

Glam

Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**




Perini L



Perini HL 1



Perini HL 2




Perini D

Perini

Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**





Bellis LT



Bellis Decor 1



Bellis Decor 2



Bellis DK




Bellis DK FL

Bellis

Finish_ Glossy
Thickness_ 8 mm
Category_ 1



Scan For 360° View



Elim Wood L



Elim Wood HL 1



Elim Wood D



Elim Wood FL

Elim

Finish_ Glossy
Thickness_ 8 mm
Category_ 1



Scan For 360° View




Asukar Ivory



Asukar Ivory HL 1



Asukar Ivory HL 2



Asukar

Finish_ Glossy
Thickness_ 8 mm
Category_ 1




Scan For 360° View



Atlanta LT



Atlanta HL 1



Atlanta HL 2



Atlanta DK



Atlanta DK FL

Atlanta

Finish_ Glossy
Thickness_ 8 mm
Category_ 1




Scan For 360° View







Arancia LT



Arancia HL




Arancia DK



Arancia DK FL

Arancia
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Boston LT White



Boston Decor 1



Boston Decor 2

Boston
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Breda LT Grey



Breda Decor




Breda DK Grey



Breda DK Grey FL


Breda
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Calgary Beige LT



Calgary Beige Decor




Calgary Beige DK



Calgary Beige FL

Calgary Beige
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Misia LT



Misia HL




Misia DK



Misia DK

Misia
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Cistine White




Cistine Kitchen HL 1




Cistine Kitchen HL 2

Cistine
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**






Deep LT



Deep HL 1

Deep


Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**




Cappela LT



Cappela Decor



Cappela DK



Cappela DK FL

Cappela

Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**



Cenare LT



Cenare Decor 1




Cenare DK



Cenare Decor 1

Cenare


Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**



Denali Grey

Denali

Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**



Dower Grey

Dower

Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**



Durham LT Beige



Durham Decor 1 Beige




Durham Decor 2 Beige

Durham

Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**





Cistine White




Cistine G HL 1



Cistine G HL 2

Cistine

Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Elle LT



Elle Decor




Elle DK




Elle DK FL

Elle

Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Erica LT



Erica HL



Erica DK



Erica DK FL

Erica

Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Esna LT Grey



Esna Decor Grey



Esna DK Grey



Esna DK Grey FL

Esna

Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**







Fiori LT Blue



Fiori HL



Fiori DK Blue




Fiori DK Blue FL

Fiori

Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Scan For 360° View



Foins LT



Foins Decor



Foins DK




Foins DK FL

Foins

Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**




Scan For 360° View




Glace Verte LT



Glace Verte Decor



Glace Verte DK



Glace Verte DK FL

Glace Verte


Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Scan For 360° View




Grafite LT



Grafite Decor



Grafite DK



Grafite DK FL

Grafite

Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Scan For 360° View



Jas White



Jas HL

Jas

Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Scan For 360° View




Jikoni Ivory



Jikoni Ivory HL 1



Jikoni Ivory HL 2



Jikoni

Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**




Scan For 360° View



Lily LT



Lily Decor 1



Lily Decor 2



Lily DK



Lily DK FL

Lily
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Kamet White

Kamet
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Kence LT



Kence HL




Kence DK



Kence DK FL


Kence
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**




Kimpese Aqua LT



Kimpese Aqua Decor




Kimpese Aqua DK



Kimpese Aqua DK FL

Kimpese
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**





Kocina Bianco



Kocina Bianco HL 1



Kocina Bianco HL 2

Kocina

Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Lilia LT Grey



Lilia Decor Grey




Lilia DK Grey



Lilia DK Grey FL

Lilia

Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**




Luxor LT



Luxor Decor




Luxor DK




Luxor DK FL

Luxor

Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**




Lyon LT Grey



Lyon Decor



Lyon DK Grey



Lyon DK Grey FL

Lyon

Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**




Lucy LT




Lucy Decor 1



Lucy Decor 2



Lucy DK



Lucy DK FL

Lucy

Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Macarena LT Grey



Macarena HL Grey



Macarena DK Grey




Macarena DK Grey FL

Macarena

Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**





Marina WH



Marina Decor



Marina DK Blue




Marina DK Blue FL

Marina
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**




Scan For 360° View




Modele Creme



Modele Decor



Modele DK Beige




Modele DK Beige FL

Modele
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Scan For 360° View



Nairobi LT



Nairobi Decor



Nairobi DK




Nairobi DK FL


Nairobi
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Scan For 360° View




Neo White



Neo White FL


Neo
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**




Oceania LT



Oceania Decor



Oceania DK Brown



Oceania DK FL


Oceania
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Scan For 360° View




Orrizonte LT



Orrizonte Decor



Orrizonte DK



Orrizonte DK FL


Orrizonte
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Scan For 360° View



Wall _ Calgary Blue



Calgary Blue LT



Calgary Blue Decor




Calgary Blue DK



Calgary Blue FL

Calgary Blue


Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**




Papier Mache White



Papier Mache Decor



Papier Mache Blue



Papier Mache Blue FL

Papier Mache

Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**



Pappilon LT



Pappilon Decor 1



Pappilon Decor 2




Pappilon DK



Pappilon DK FL

Pappilon


Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**




Peonia LT Blue



Peonia Decor Blue



Peonia DK Blue




Peonia DK Blue FL

Peonia

Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**





Peonia Rose LT



Peonia Rose Decor




Peonia Rose DK




Peonia Rose DK FL

**Peonia
Rose**
Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**




Peri White

Peri
Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**




Portal WH



Portal Decor




Portal DK Blue



Portal DK Blue FL

Portal
Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**




Poterie LT




Poterie Decor 1



Poterie Decor 2



Poterie DK



Poterie DK FL

Poterie
Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**




Produire WH



Produire Decor 1



Produire Decor 2




Produire GR



Produire GR FL


Produire
Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**




Seville LT



Seville Decor




Seville DK



Seville DK FL

Seville
Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**







Turkish LT



Turkish HL



Turkish DK




Turkish DK FL

Turkish


Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**



Scan For 360° View



Siena WH



Siena Decor

Siena

Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**




Scan For 360° View



Subaki LT



Subaki Decor



Subaki DK



Subaki DK FL

Subaki

Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**



Scan For 360° View



Swastic Decor



Swastic Decor 1



Swastic Decor 2




Swastic Decor 3

Swastic

Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**



Scan For 360° View




Terra LT Blue



Terra Decor



Terra DK Blue




Terra DK Blue FL

Terra
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Scan For 360° View



Terra Dore LT



Terra Dore Decor



Terra Dore WH FL

Terra Dore
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Scan For 360° View



Terra Marron LT



Terra Marron Decor



Terra Marron DK



Terra Marron DK FL


Terra Marron
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Scan For 360° View




Toran LT



Toran Decor 1




Toran Decor 2




Toran
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Scan For 360° View



Tronc WH



Tronc Decor

Tronc
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Scan For 360° View



Troyes LT Blue



Troyes Blue Decor



Troyes DK Blue



Troyes DK Blue FL


Troyes
Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Scan For 360° View




Wall _ **Fleur**




Fleur LT



Fleur Decor



Fleur DK




Fleur DK FL

Fleur

Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**



Troyes LT Green



Troyes Green Decor



Troyes DK Green



Troyes DK Green FL

Troyes

Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**



Tulipe Creme



Tulipe Decor



Tulipe DK Beige



Tulipe DK Beige FL

Tulipe

Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**




Vidro LT



Vidro Decor




Vidro DK



Vidro

Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**






Aswan LT



Aswan HL




Aswan DK



Aswan FL

Aswan
Finish _ **Glossy**
Thickness _ **8 mm**
Category _ **1**



Subway Hexa White



Subway Hexa Black




Subway Hexa Aqua




Subway Hexa Blue

Subway Hexa
Finish _ **Glossy**
Thickness _ **8.5 mm**
Category _ **2**




Subway Cube White




Subway Cube Bianco



Subway Cube Grey




Subway Cube Beige




Subway Cube Black


Subway Cube
Finish _ **Glossy**
Thickness _ **8.5 mm**
Category _ **2**




Subway Square Bianco



Subway Square Silver




Subway Square Black



Subway Square Beige



Subway Square Gold



Subway Square Pink



Subway Square Blue

Subway Square
Finish _ **Glossy**
Thickness _ **8.5 mm**
Category _ **2**



Subway Choco FL



Subway Gold FL



Subway Pink FL



Subway Grey FL



Subway Aqua FL



Subway Blue FL



Retro L



Retro HL




Retro D




Retro D FL

Retro
Finish _ **Matt**
Thickness _ **8 mm**
Category _ **1**




Bergos Grey


Bergos
Finish _ **Matt**
Thickness _ **8.5 mm**
Category _ **1**




Notoro LT Grey



Notoro Decor Grey



Notoro DK Grey




Notoro DK Grey FL

Notoro
Finish _ **Matt**
Thickness _ **8.5 mm**
Category _ **1**



Wall _ **Retro**



Tordan Brown LT



Tordan Brown HL



Tordan Brown DK




Tordan Brown DK FL

Tordan Brown

Finish_ **Matt**
Thickness_ **8.5 mm**
Category_ **1**




Scan For 360° View



Tordan Grey LT



Tordan Grey HL



Tordan Grey DK



Tordan Grey FL

Tordan Grey

Finish_ **Matt**
Thickness_ **8.5 mm**
Category_ **1**



Scan For 360° View



Vitus Grey

Vitus

Finish_ **Matt**
Thickness_ **8.5 mm**
Category_ **1**



Scan For 360° View



Wall _ Vintal



Vintal LT



VINTAL HL 1



VINTAL HL 2



Vintal DK



Vintal DK FL

Vintal

Finish _ Sugar
Thickness _ 8 mm
Category _ 3



Seasons Brown



Seasons Brown FL

Seasons Brown

Finish _ Sugar
Thickness _ 8.5 mm
Category _ 1




Seasons Grey




Seasons Grey

Seasons Grey

Finish _ Sugar
Thickness _ 8.5 mm
Category _ 1



Seasons Ivory



Seasons Bianco

Seasons Ivory

Finish _ Sugar
Thickness _ 8.5 mm
Category _ 1



Seasons Bianco

Finish _ Sugar
Thickness _ 8.5 mm
Category _ 1





White Horse 01

Finish_ **Anti Skid**
Thickness_ **8 mm**
Category_ **4**
Set of_ **9 Pcs.**



Vally

Finish_ **Anti Skid**
Thickness_ **8 mm**
Category_ **4**
Set of_ **9 Pcs.**



White Lion

Finish_ **Anti Skid**
Thickness_ **8 mm**
Category_ **4**
Set of_ **9 Pcs.**



Village

Finish_ **Anti Skid**
Thickness_ **8 mm**
Category_ **4**
Set of_ **9 Pcs.**



Wall _ Lord Buddha



Scan For 360° View

Lord Buddha

Finish _ **Anti Skid**
Thickness _ **8 mm**
Category _ **5**
Set of _ **21 Pcs.**





Wall _ Himalayan Peacock



Himalayan Peacock

Finish _ **Anti Skid**
Thickness _ **8 mm**
Category _ **5**
Set of _ **21 Pcs.**

CERAMIC ELEVATION

Discover the small size of
300x450mm for easy tiling of
challenging elevation spaces with
the Ceramic Elevation range
from Hindware in

300x
450mm

Available Surfaces

Rustic / Rain Drop





Wall _ Mini Gorgeia Brown

Ceramic Elevation | 300x450mm



Fabula Stone Beige

Finish _ Rustic
Thickness _ 10 mm
Category _ 1



Fabula Stone Grey

Finish _ Rustic
Thickness _ 10 mm
Category _ 1




Bursa Grey

Finish _ Rustic
Random _ 3 Faces
Thickness _ 10 mm
Category _ 1



Bursa Red

Finish _ Rustic
Random _ 3 Faces
Thickness _ 10 mm
Category _ 1



Mini Gorgeia Brown

Finish _ Rustic
Random _ 3 Faces
Thickness _ 10 mm
Category _ 1




Raqqa Stone Beige

Finish _ Rustic
Thickness _ 10 mm
Category _ 1



Lapis Ivory

Finish _ Rustic
Thickness _ 10 mm
Category _ 1



Lapis Gris

Finish _ Rustic
Thickness _ 10 mm
Category _ 1



Magnum Grey

Finish _ Rustic
Thickness _ 10 mm
Category _ 1



Kalahari Cream

Finish _ Rustic
Thickness _ 10 mm
Category _ 1



Kalahari Silver

Finish _ Rustic
Thickness _ 10 mm
Category _ 1



Kalahari Nero

Finish _ Rustic
Thickness _ 10 mm
Category _ 1




Wall _ Fabula Stone Beige



Ambra Beige
Finish _ Rustic
Thickness _ 10 mm
Category _ 1



Ambra Brown
Finish _ Rustic
Thickness _ 10 mm
Category _ 1




Ambra Coal
Finish _ Rustic
Thickness _ 10 mm
Category _ 1



Basalt Beige
Finish _ Rustic
Thickness _ 10 mm
Category _ 1



Basalt Multi
Finish _ Rustic
Thickness _ 10 mm
Category _ 1




Ellora Grey
Finish _ Rustic
Thickness _ 10 mm
Category _ 1



Brici White
Finish _ Rustic
Thickness _ 10 mm
Category _ 1



Brici Red
Finish _ Rustic
Thickness _ 10 mm
Category _ 1




Dublin Natural
Finish _ Rustic
Thickness _ 10 mm
Category _ 1



Esprit Grey
Finish _ Rustic
Thickness _ 10 mm
Category _ 1



Esprit Nero
Finish _ Rustic
Thickness _ 10 mm
Category _ 1



Dublin Nero
Finish _ Rustic
Thickness _ 10 mm
Category _ 1



Wall _ Ambra Coal



Imperium Brown

Finish **_Rustic**
Random **_4 Faces**
Thickness **_10 mm**
Category **_1**



Imperium Natural

Finish **_Rustic**
Random **_4 Faces**
Thickness **_10 mm**
Category **_1**



Castel Grey

Finish **_Rain Drop**
Thickness **_10 mm**
Category **_1**



Castel Multi

Finish **_Rain Drop**
Thickness **_10 mm**
Category **_1**



Aleppo Gold

Finish **_Rain Drop**
Thickness **_10 mm**
Category **_1**




Mini Gorgeia Nero

Finish **_Rain Drop**
Random **_3 Faces**
Thickness **_10 mm**
Category **_1**



Axitude Beige

Finish **_Rain Drop**
Thickness **_10 mm**
Category **_1**



Axitude Grafite

Finish **_Rain Drop**
Thickness **_10 mm**
Category **_1**



Juliet Brown

Finish **_Rain Drop**
Thickness **_10 mm**
Category **_1**



Belagio Beige

Finish **_Rain Drop**
Thickness **_10 mm**
Category **_1**



Belagio Moss

Finish **_Rain Drop**
Thickness **_10 mm**
Category **_1**



Juliet Nero

Finish **_Rain Drop**
Thickness **_10 mm**
Category **_1**




Hazel Stone Beige

Finish **_Rain Drop**
Thickness **_10 mm**
Category **_1**



Hazel Stone Silver

Finish **_Rain Drop**
Thickness **_10 mm**
Category **_1**



Hazel Stone Grey

Finish **_Rain Drop**
Thickness **_10 mm**
Category **_1**



Wall **_ Castel Multi**

GRESELAIN VOGUE COLLECTION

Give your spaces an artistic makeover with the Greselain Vogue Collection, available in versatile 600x1200mm, intricate Carving, and Matt surfaces.

600x
1200mm

Available Surfaces

Carving / Matt







**Denver
Gris**

Finish_ Matt
Random_ 3 Faces
Thickness_ 9 mm
Category_ 1



Scan For 360° View




**Austin
Taupe**

Finish_ Matt
Random_ 5 Faces
Thickness_ 9 mm
Category_ 1



Scan For 360° View



**Seattle
Bianco**

Finish_ Matt
Random_ 4 Faces
Thickness_ 9 mm
Category_ 1



Scan For 360° View



**Austin
Gris**

Finish_ Matt
Random_ 5 Faces
Thickness_ 9 mm
Category_ 1



Scan For 360° View



**Seattle
Blue**

Finish_ Matt
Random_ 4 Faces
Thickness_ 9 mm
Category_ 1



Scan For 360° View



**Kingston Wood
Teak**

Finish_ Matt
Random_ 4 Faces
Thickness_ 9 mm
Category_ 2



Scan For 360° View



**Kingston Wood
Brown**

Finish_ Matt
Random_ 4 Faces
Thickness_ 9 mm
Category_ 2



Scan For 360° View



**Kingston Wood
Cherry**

Finish_ Matt
Random_ 4 Faces
Thickness_ 9 mm
Category_ 2



Scan For 360° View




**Winsor Wood
Beige**

Finish_ Matt
Random_ 3 Faces
Thickness_ 9 mm
Category_ 1



Scan For 360° View



**Winsor Wood
Natural**

Finish_ Matt
Random_ 3 Faces
Thickness_ 9 mm
Category_ 1



Scan For 360° View



**Dazz Orlanndo
Wood Ash**

Finish_ Carving
Random_ 3 Faces
Thickness_ 9 mm
Category_ 2



Scan For 360° View



**Dazz Memphis
White**

Finish_ Carving
Random_ 3 Faces
Thickness_ 9 mm
Category_ 2




Scan For 360° View





**Dazz Charlotttr
Crema**

Finish_ Carving
Random_ 3 Faces
Thickness_ 9 mm
Category_ 2



**Dazz Columbus
Multi**

Finish_ Carving
Thickness_ 9 mm
Category_ 2



**Dazz Antonio
Nero**

Finish_ Carving
Random_ 3 Faces
Thickness_ 9 mm
Category_ 2




**Dazz Antonio
Grey**

Finish_ Carving
Random_ 3 Faces
Thickness_ 9 mm
Category_ 2



**Infinity Dazz
Tuscon Gold**

Finish_ Carving
Random_ 3 Faces
Thickness_ 9 mm
Category_ 3



**Infinity Dazz
Oklahoma Ice**

Finish_ Carving
Random_ 6 Faces
Thickness_ 9 mm
Category_ 3




**Infinity Dazz
Elpaso Snow**

Finish_ Carving
Random_ 6 Faces
Thickness_ 9 mm
Category_ 3



**Infinity Dazz
Sandiego Natural**

Finish_ Carving
Random_ 6 Faces
Thickness_ 9 mm
Category_ 3




**Infinity Dazz
Madison Grey**

Finish_ Carving
Random_ 4 Faces
Thickness_ 9 mm
Category_ 3



**Infinity Dazz
Baristo Beige**

Finish_ Carving
Random_ 4 Faces
Thickness_ 9 mm
Category_ 3



**Infinity Dazz
Fresno Silver**

Finish_ Carving
Random_ 4 Faces
Thickness_ 9 mm
Category_ 3



GRESELAIN

Crafted durable and aesthetic,
the Greselain in 600x600mm in
Matt, Sugar, and Carving
surfaces is an exceedingly
practical solution for all kinds of
spaces.

600x
600mm

Available Surfaces

Matt \ Sugar \ Carving





**Astrus Choco
Light**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**




**Astrus Choco
Decor**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**



**Astrus Choco
Dark**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**



**French Wood
Brown**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**



**City Wood
Beige**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**



**Excotic Wood
Grey**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**



**Astrus Grey
Light**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**



**Astrus Grey
Deor**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**



**Astrus Grey
Dark**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**




**Adrian
Gris**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**



**Adrian
Grey**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**



**Mora Wood
Brown**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**



**Eramosa
Brown**

Finish_ **Matt**
Random_ **3 Faces**
Thickness_ **9 mm**
Category_ **1**



**Highland
Silver**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**




**Highland
Grey**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**



**Sagebrush
Beige**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**



**Sagebrush
Brown**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**



**Spanish Teak
Brown**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**





Albenia Brown Decor

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**



Albenia Grey Deccor

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**



Albenia Multi Decor

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**




Pollens Wood Beige

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**



Tiber Beige

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**



Tundra White

Finish_ **Matt**
Random_ **4 Faces**
Thickness_ **9 mm**
Category_ **1**




Geo Wood

Finish_ **Matt**
Random_ **2 Faces**
Thickness_ **9 mm**
Category_ **1**



Harpa


Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**



Altay Brown

Finish_ **Matt**
Random_ **4 Faces**
Thickness_ **9 mm**
Category_ **1**





**3d
Statuario**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**

Scan For 360° View



**Abea
Brown**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**


Scan For 360° View



**Intarsia
Wood Brown**

Finish_ **Matt**
Random_ **4 Faces**
Thickness_ **9 mm**
Category_ **1**

Scan For 360° View



**Arctic
White**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**

Scan For 360° View



**Atlanta
Bianco**

Finish_ **Matt**
Random_ **4 Faces**
Thickness_ **9 mm**
Category_ **1**

Scan For 360° View



**Avion
Beige**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**

Scan For 360° View



**Avion
Blue**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**

Scan For 360° View



**Avion
Brown**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**

Scan For 360° View



**Avion
Sky**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**

Scan For 360° View







**Boheme
Decor**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**

Scan For 360° View



**Ceylon
Dove**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**

Scan For 360° View



**Ceylon
Graphite**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**


Scan For 360° View



**Miombo
Wood Brown**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**

Scan For 360° View



**Moika
Beige**

Finish_ **Matt**
Random_ **4 Faces**
Thickness_ **9 mm**
Category_ **1**

Scan For 360° View



**Oasis
Beige**

Finish_ **Matt**
Random_ **4 Faces**
Thickness_ **9 mm**
Category_ **1**


Scan For 360° View



**Ceylon
Quarzite**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**


Scan For 360° View



**Checks
Grey**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**

Scan For 360° View



**Craft
Wood**

Finish_ **Matt**
Random_ **2 Faces**
Thickness_ **9 mm**
Category_ **1**


Scan For 360° View



**Oasis
Grey**

Finish_ **Matt**
Random_ **2 Faces**
Thickness_ **9 mm**
Category_ **1**

Scan For 360° View



**Olkhon
Crema**

Finish_ **Matt**
Random_ **4 Faces**
Thickness_ **9 mm**
Category_ **1**

Scan For 360° View



**Siberian
Grey**

Finish_ **Matt**
Random_ **4 Faces**
Thickness_ **9 mm**
Category_ **1**

Scan For 360° View



Lombok Brown

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**


Scan For 360° View



**Maiolica
Brown**

Finish_ **Matt**
Random_ **4 Faces**
Thickness_ **9 mm**
Category_ **1**

Scan For 360° View



**Metro
Wood**

Finish_ **Matt**
Random_ **2 Faces**
Thickness_ **9 mm**
Category_ **1**

Scan For 360° View



**Urban
Wood**

Finish_ **Matt**
Thickness_ **9 mm**
Category_ **1**

Scan For 360° View



**Otto
Beige**

Finish_ **Sugar**
Thickness_ **9 mm**
Category_ **2**

Scan For 360° View



**Otto
White**

Finish_ **Sugar**
Thickness_ **9 mm**
Category_ **2**

Scan For 360° View






Osmos
Sky

Finish_ **Sugar**
Random_ **2 Faces**
Thickness_ **9 mm**
Category_ **2**

Scan For 360° View



Miller
Wave

Finish_ **Sugar**
Random_ **2 Faces**
Thickness_ **9 mm**
Category_ **2**

Scan For 360° View



Dazz Savoie
Grey

Finish_ **Carving**
Random_ **4 Faces**
Thickness_ **9 mm**
Category_ **2**

Scan For 360° View



Dazz Fusion
White

Finish_ **Carving**
Random_ **2 Faces**
Thickness_ **9 mm**
Category_ **2**


Scan For 360° View






Theo
Tabriz

Finish _ **Carving**
Thickness _ **9 mm**
Category _ **2**




Theo
Kerman

Finish _ **Carving**
Thickness _ **9 mm**
Category _ **2**




Theo
Heriz

Finish _ **Carving**
Thickness _ **9 mm**
Category _ **2**




Theo
Kashan

Finish _ **Carving**
Thickness _ **9 mm**
Category _ **2**




Theo
Berber

Finish _ **Carving**
Thickness _ **9 mm**
Category _ **2**



Theo
Gabbeh

Finish _ **Carving**
Thickness _ **9 mm**
Category _ **2**









Theo
Dhurrie

Finish _ Carving
Thickness _ 9 mm
Category _ 2




Theo
Kilm

Finish _ Carving
Thickness _ 9 mm
Category _ 2




Theo
Nain

Finish _ Carving
Thickness _ 9 mm
Category _ 2



Theo
Shag

Finish _ Carving
Thickness _ 9 mm
Category _ 2



DOUBLE CHARGE

Experience strength with the Double Charge Collection in 600x600mm size. The collection is designed to withstand time and trends and is available in classic Polish and Glossy surfaces.

600x
600mm

Available Surfaces

Polish







Venice Ruby

Finish_ **Polish**
Thickness_ **8 mm**
Category_ **1**



Venice Rosa

Finish_ **Polish**
Thickness_ **8 mm**
Category_ **1**



Venice Orange

Finish_ **Polish**
Thickness_ **8 mm**
Category_ **1**



Venice Coffee

Finish_ **Polish**
Thickness_ **8 mm**
Category_ **1**




Venice Crema

Finish_ **Polish**
Thickness_ **8 mm**
Category_ **1**




Venice Lush

Finish_ **Polish**
Thickness_ **8 mm**
Category_ **1**




Venice Prime White

Finish_ **Polish**
Thickness_ **8 mm**
Category_ **1**



Venice Snow White


Finish_ **Polish**
Thickness_ **8 mm**
Category_ **2**




Venice Carbon

Finish_ **Polish**
Thickness_ **8 mm**
Category_ **3**






**Venza
White**
Finish_ **Polish**
Thickness_ **8 mm**
Category_ **3**



**Venice
Slate**
Finish_ **Polish**
Thickness_ **8 mm**
Category_ **3**




**Alexa
White**
Finish_ **Polish**
Thickness_ **8 mm**
Category_ **3**



**Alexa
Crema**
Finish_ **Polish**
Thickness_ **8 mm**
Category_ **3**



**Alexa
Pearl**
Finish_ **Polish**
Thickness_ **8 mm**
Category_ **3**



**Alexa
Grey**
Finish_ **Polish**
Thickness_ **8 mm**
Category_ **4**



PARKING

The collection that defies heavy loads and excessive use - Parking is a durable solution for outdoor spaces available in 400x400mm in Rustic and Matt surfaces.

400x
400mm

Available Surfaces

Rustic \ Matt





Floor_ **Artesa Brown**

Parking I Greselain I 400x400 mm



Floor_ **Ozark Classic**



Artesa Brown

Finish_ **Rustic**
Thickness_ **11 mm**
Category_ **1**



Ozark Classic

Finish_ **Rustic**
Thickness_ **11 mm**
Category_ **1**



Ozark Prime


Finish_ **Rustic**
Thickness_ **11 mm**
Category_ **1**






Eza
Blue

Finish **_Rustic**
Thickness **_11 mm**
Category **_1**




Eza
Natural

Finish **_Rustic**
Thickness **_11 mm**
Category **_1**



Oujda
Grey

Finish **_Rustic**
Thickness **_11 mm**
Category **_1**




Tangier
Brown

Finish **_Rustic**
Thickness **_11 mm**
Category **_1**



Mood
Wood

Finish **_Rustic**
Thickness **_11 mm**
Category **_1**



Vulkan
Natural


Finish **_Rustic**
Thickness **_11 mm**
Category **_1**






**Hampton
Grey**

Finish _ **Rustic**
Thickness _ **11 mm**
Category _ **1**



**Hampton
Beige**

Finish _ **Rustic**
Thickness _ **11 mm**
Category _ **1**



**Liath
Natural**

Finish _ **Rustic**
Thickness _ **11 mm**
Category _ **1**



**Verve
Brown**

Finish _ **Rustic**
Thickness _ **11 mm**
Category _ **1**




**Sohar
Green**


Finish _ **Rustic**
Thickness _ **11 mm**
Category _ **1**



**Sohar
Natural**

Finish _ **Rustic**
Thickness _ **11 mm**
Category _ **1**






**Stafford
Grey**

Finish_ **Rustic**
Random_ **4 Faces**
Thickness_ **11 mm**
Category_ **1**




**Checkers
Brown**

Finish_ **Rustic**
Thickness_ **11 mm**
Category_ **1**



**Choko Light
Creama**

Finish_ **Rustic**
Thickness_ **11 mm**
Category_ **1**



**Crux
Brown**

Finish_ **Rustic**
Thickness_ **11 mm**
Category_ **1**



**Nizwa
Brown**

Finish_ **Rustic**
Thickness_ **11 mm**
Category_ **1**



**Nizwa
Grey**


Finish_ **Rustic**
Thickness_ **11 mm**
Category_ **1**







Favor
Beige

Finish **_Rustic**
Thickness **_11 mm**
Category **_1**



Favor
Grey

Finish **_Rustic**
Thickness **_11 mm**
Category **_1**




Natural
Vecchio

Finish **_Rustic**
Thickness **_11 mm**
Category **_1**




Ruwi
Green

Finish **_Rustic**
Thickness **_11 mm**
Category **_1**



Ruwi
Natural

Finish **_Rustic**
Thickness **_11 mm**
Category **_1**



Saiq
Red

Finish **_Rustic**
Thickness **_11 mm**
Category **_1**





Nevada
Crema

Finish_ **Rustic**
Thickness_ **11 mm**
Category_ **1**

Scan For 360° View



Nevada
Olive

Finish_ **Rustic**
Thickness_ **11 mm**
Category_ **1**

Scan For 360° View



Tiras
Grey

Finish_ **Rustic**
Thickness_ **11 mm**
Category_ **1**


Scan For 360° View



Vally
Natural

Finish_ **Rustic**
Thickness_ **11 mm**
Category_ **1**


Scan For 360° View



Winter
Grey

Finish_ **Rustic**
Thickness_ **11 mm**
Category_ **1**


Scan For 360° View



Winter
White

Finish_ **Rustic**
Thickness_ **11 mm**
Category_ **1**


Scan For 360° View





**Sohar
Brown**

Finish **_Rustic**
Thickness **_11 mm**
Category **_1**



**Adoq
Beige**

Finish **_Rustic**
Thickness **_11 mm**
Category **_1**




**Adoq
Grey**

Finish **_Rustic**
Thickness **_11 mm**
Category **_1**




**Amaze
Bianco**

Finish **_Rustic**
Thickness **_11 mm**
Category **_1**




**Amaze
Grey**

Finish **_Rustic**
Thickness **_11 mm**
Category **_1**




**Bhamas
Black**

Finish **_Rustic**
Thickness **_11 mm**
Category **_1**






**Beach
White**
Finish_ **Rustic**
Thickness_ **11 mm**
Category_ **1**



**Beach
Grey**
Finish_ **Rustic**
Thickness_ **11 mm**
Category_ **1**




**Beachy
Beige**
Finish_ **Rustic**
Thickness_ **11 mm**
Category_ **1**







Eza
Multi

Finish_ **Rustic**
Thickness_ **11 mm**
Category_ **1**




Bloquear
Grey

Finish_ **Matt**
Thickness_ **11 mm**
Category_ **1**




Adoq
Crema

Finish_ **Matt**
Thickness_ **11 mm**
Category_ **1**



Amaze
Beige

Finish_ **Matt**
Thickness_ **11 mm**
Category_ **1**



COOL TILE


Keep spaces cooler with Cool Tiles in 300x300mm. These tiles reflect Sunlight, keeping surface temperature bearable, and, when applied to terraces, keep spaces below cooler.

300x
300mm

Available Surfaces

Glossy





Icy Bianco

Finish_ **Glossy**
Thickness_ **8 mm**
Category_ **1**



Anti-Skid



Saves
Electricity



Weather
Proof



Long Lasting
Ceramic Tile

Beat the heat with Icy Bianco

Icy Bianco roof tiles have a **Solar Reflective Index value of 88**, which means they reflect 88% of sunrays away from the surface making a significant difference in maintaining comfortable temperatures indoors during hot summers.



SRI 88
Value



**Reduce
Surface
Temperature**
by **15-20%**



Exterior



Rooftop



Pavement



Balcony

ADHESIVE & GROUTS

Discover high-performance tile adhesives, available in grey and white colors. Besides these, explore our cementitious grout, tile cleaner, premium epoxy grout, and grout admixture. All these available formulations are for superior bonding, ensuring tiles stay firmly in place.

RX100 - GREY

RX200 - GREY

RX300 - WHITE

RX400 - WHITE

Rx500 - GREY

EPOXY GROUT
CEMENTITIOUS GROUT



ADHESIVE & GROUTS

ADHESIVE & GROUTS



RX100

Color - Grey | Type - 1 C1T | Pack Size - 20kg & 25kg

- **Application:** For all kinds of Ceramic Wall & Floor Tiles in internal applications.
- **Open Time:** 20 min. approx. ● **Pot Life:** 1.5-2 hrs Approx.
- **Adjustability:** 20 minutes Approx. ● **Density:** 1.8 g/cm3



EPOXY GROUT

Hindware Premium Epoxy Grout is a stain-free grout for floors & walls. It is non - shrinking, non-sagging, fast-curing efflorescence free grout, ideal for installation where high strength meld and dew-resistant grout joints are required.

Pack Size: 1kg & 5kg

Shelf Life:
Best before 12 months from manufacturing date in dry unopen bag.

Applications:
Wet as well as dry areas. Not for sun exposed areas.
Suitable to: Ceramic Tiles, Vitrified Tiles, Stones & Marbles



RX200

Color - Grey | Type - 2 C2T | Pack Size - 20kg & 25kg

- **Application:** For all kinds of Ceramic & Vitrified Tiles in Interior on wall & floor applications & in exterior on floor applications.
- **Open Time:** 20 min. approx. ● **Pot Life:** 1.5-2 hrs Approx.
- **Adjustability:** 20 minutes Approx. ● **Density:** 1.78 g/cm3



CEMENTITIOUS GROUT

Hindware Cementitious Grout is a superior quality grout. It consists of a carefully prepared blend of cement, chemical additives, and fillers. It is easy to install where you just need to mix it with Grout Admix or water and use. It is ideal for both floors and wall applications. This grout is suitable for joints between 1 mm to 3 mm.

Pack Size: 1kg (Carton of 10 pcs. | 10kg)

- Advantage**
- ▶ Water resistant
 - ▶ Easy maintenance
 - ▶ Non-cracking
 - ▶ Available in a range of colours
 - ▶ Smooth finish
 - ▶ Non-shrinking
 - ▶ Easy application and clean up



RX300

Color - White | Type - 1 C1T | Pack Size - 20kg & 25kg

- **Application:** For all kinds of Ceramic Wall & Floor Tiles in internal applications.
- **Open Time:** 20 min. approx. ● **Pot Life:** 1.5-2 hrs Approx.
- **Adjustability:** 20 minutes Approx. ● **Density:** 1.8 g/cm3



GROUT ADMIX

Hindware Grout Admix is a polymer based; liquid admixture specially designed for use in combination with Hindware Superior Grouts. This is ideal for all interior and exterior applications. It improves the performance and does not allow any moisture/water to seep into the back of the tile. It also increases the flexibility and high compression strength of cement grout for all types of ceramic tiles, vitrified tiles, glass mosaic tiles, marble, granite, and natural stones.

Pack Size: 400 ml (Carton of 10 pcs. | 4000ml)

- Features**
- ▶ It rocks the grout into the joint.
 - ▶ Low VOC formula
 - ▶ Grout and seal in one step
 - ▶ Features water repellent technology
 - ▶ Seals, protects and strengthens grout
 - ▶ Same stain resistance as most grout sealers



RX400

Color - White | Type - 2 C2T | Pack Size - 20kg & 25kg

- **Application:** For all kinds of Ceramic & Vitrified Tiles in Interior on wall & floor applications & in exterior on floor applications.
- **Open Time:** 20 min. approx. ● **Pot Life:** 1.5-2 hrs Approx.
- **Adjustability:** 20 minutes Approx. ● **Density:** 1.79 g/cm3



TILE CLEANER

Hindware Tile Cleaner is a fast acting, acid-based powerful cleaner for daily maintenance of tiles surfaces. It can also be used as a general-purpose cleaner on acid resistant surfaces to remove cementitious grout, adhesive residues, hard water deposits and other hard stains from all ceramic/vitrified tiles and sanitaryware. It is best used to clean wall tiles, floor tiles, mosaics & sanitaryware.

Pack Size: 1000ml (Carton of 10 bottles | 10000ml)

- Features**
- ▶ For ceramic & vitrified tiles
 - ▶ Removes tough stains.
 - ▶ Use directly or add water
 - ▶ Ideal for interior & exterior.
 - ▶ Anti Germs & Anti Stains.



RX500 - GREY

Color - Grey | Type - 3 C2T | Pack Size - 20kg & 25kg

- **Application:** For all kinds of Ceramic & Vitrified Tiles in Exterior & Interior on wall & floor applications. Not recommended for height above 30ft & tile size bigger than 45x90 cm.
- **Open Time:** 20 min. approx. ● **Pot Life:** 1.5-2 hrs Approx.
- **Adjustability:** 20 minutes Approx. ● **Density:** 1.77 g/cm3

ADHESIVE & GROUTS

ADHESIVE & GROUTS



CATEGORY 1

COLOUR RANGE

Pilot Green

Royal Blue

Deep Blue

Golden Hour

Scarlet Red

CATEGORY 2

Prestine White

Ivory

Beige

Blush Pink

Papyrus

Silver

Parakeet

Ocean Blue

Smoke Grey

Tawny Brown

Reddish Brown

Plum

Chocolate Brown

Light Grey

Midnight Black

Note: Colours shown are for indication purpose only, variation may occur.

COVERAGE ESTIMATE

EPOXY GROUT

$$\frac{(A+B) \times C \times D \times Wd}{A \times B}$$

A = Legnth of the Tile, B = Breadth of the Tile,
C = Thickness of the Tile,
D = Space between two tiles,
Wet Density (Wd) = 1.70 ± 0.05

$$\frac{Kg}{M^2}$$

Note: All the dimensions are in Millimeter (mm)

CEMENTITIOUS GROUT

$$\frac{(A+B) \times C \times D \times Wd}{A \times B}$$

A = Legnth of the Tile, B = Breadth of the Tile,
C = Thickness of the Tile,
D = Space between two tiles,
Wet Density (Wd) = 1.65 ± 0.05

$$\frac{Kg}{M^2}$$

Note: All the dimensions are in Millimeter (mm)

W:Acacia Beige_F:Red Cedar

Wall Ceramic / 300 X 300 mm / 300 X 600 mm

CHARACTERISTICS	TEST METHOD	IS 15622:2017 GROUP - B III - REQUIREMENTS	OUR VALUE
DIMENSION & SURFACE QUALITY			
Deviation in Length and Width	IS 13630 Part-1	± 0.20%	± 0.15 %
Deviation in Thickness	IS 13630 Part-1	± 5.0%	± 4%
Straightness of Sides	IS 13630 Part-1	± 0.15 %	± 0.10 %
Diagonal Variation or Rectangularity	IS 13630 Part-1	± 0.20 %	± 0.15 %
Surface Flatness	IS 13630 Part-1	± 0.30%	± 0.20%
Surface Quality	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surfc defects	Min. of 95 % of tiles shall be free from visible surfc defects
PHYSICAL PROPERTIES			
Water Absorption	IS 13630 Part-2	Avg. > 10 %	Avg. >10 %
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 15 N/mm ²	Avg. 16 N/mm ²
Breaking strength	IS 13630 Part-6	Min. 600 N	Min. 700 N
Resistance to Surface Abrasion (Unglazed Tiles) (PEI groups II III IV V)	IS 13630 Part-11	Min Class- II	Class- II & III
MOH's Scratch Hardness	IS 13630 Part-13	Min. 3	Min. 3
Moisture Expansion	IS 13630 Part-3	0.04 mm/m Max.	0.03 mm/m Max.
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	Passed
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	Passed
Co-Efficient of Linear Thermal Expansion	IS 13630 Part-4	9X10 ⁻⁶ K ⁻¹ Max.	7.5X10 ⁻⁶ K ⁻¹ Max.
CHEMICAL PROPERTIES			
Resistance to Houshold chemcial	IS 13630 Part-8	Min. Class- AA	Min. Class- AA
Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1

PACKING DETAILS				
DIMENSION (MM)	BOX			
	Tiles/Box	Coverage/Box(Sq.-Ft.)	Coverage/Box(Sq-Mtrs.)	Thickness
300x300	9	8.72	0.81	8 mm
300x600	5	9.69	0.90	8.5 mm

Wall Ceramic / 300 X 300 mm / 300 X 450 mm
Cool Tile / 300 X 300 mm

CHARACTERISTICS	TEST METHOD	IS 15622:2017 GROUP - B III - REQUIREMENTS	OUR VALUE
DIMENSION & SURFACE QUALITY			
Deviation in Length and Width	IS 13630 Part-1	± 0.20%	± 0.15 %
Deviation in Thickness	IS 13630 Part-1	± 5.0%	± 4%
Straightness of Sides	IS 13630 Part-1	± 0.15 %	± 0.10 %
Diagonal Variation or Rectangularity	IS 13630 Part-1	± 0.20 %	± 0.15 %
Surface Flatness	IS 13630 Part-1	± 0.30%	± 0.20%
Surface Quality	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surfc defects	Min. of 95 % of tiles shall be free from visible surfc defects
PHYSICAL PROPERTIES			
Water Absorption	IS 13630 Part-2	Avg. > 10 %	Avg. >10 %
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 15 N/mm ²	Avg. 16 N/mm ²
Breaking strength	IS 13630 Part-6	Min. 600 N	Min. 700 N
Resistance to Surface Abrasion (Unglazed Tiles) (PEI groups II III IV V)	IS 13630 Part-11	Min Class- II	Class- II & III
MOH's Scratch Hardness	IS 13630 Part-13	Min. 3	Min. 3
Moisture Expansion	IS 13630 Part-3	0.04 mm/m Max.	0.03 mm/m Max.
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
Frost Resistance	IS 13630 Part-10	NA	No Damage
Co-Efficient of Linear Thermal Expansion	IS 13630 Part-4	9X10 ⁻⁶ K ⁻¹ Max.	7.5X10 ⁻⁶ K ⁻¹ Max.
CHEMICAL PROPERTIES			
Resistance to Houshold chemcial	IS 13630 Part-8	Min. Class- AA	Min. Class- AA
Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1

PACKING DETAILS				
DIMENSION (MM)	BOX			
	Tiles/Box	Coverage/Box(Sq.-Ft.)	Coverage/Box(Sq-Mtrs.)	Thickness
300x450	6	8.72	0.81	8 mm
300x300 (MF) 300x300 Cool Tile	9	8.72	0.81	8 mm

Ceramic Elevation / 300 X 600 mm / 300 X 450 mm

CHARACTERISTICS	TEST METHOD	IS 15622:2017 GROUP - B III - REQUIREMENTS	OUR VALUE
DIMENSION & SURFACE QUALITY			
Deviation in Length and Width	IS 13630 Part-1	± 0.20%	± 0.15 %
Deviation in Thickness	IS 13630 Part-1	± 5.0%	± 4%
Straightness of Sides	IS 13630 Part-1	± 0.15 %	± 0.10 %
Diagonal Variation or Rectangularity	IS 13630 Part-1	± 0.20 %	± 0.15 %
Surface Flatness	IS 13630 Part-1	± 0.30%	± 0.20%
Surface Quality	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surfce defects	Min. of 95 % of tiles shall be free from visible surfce defects
PHYSICAL PROPERTIES			
Water Absorption	IS 13630 Part-2	Avg. > 10 %	Avg. >10 %
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 15 N/mm ²	Avg. 16 N/mm ²
Breaking strength	IS 13630 Part-6	Min. 600 N	Min. 700 N
Resistance to Surface Abrasion (Unglazed Tiles) (PEI groups II III IV V)	IS 13630 Part-11	Min Class- II	Class- II & III
MOH's Scratch Hardness	IS 13630 Part-13	Min. 3	Min. 3
Moisture Expansion	IS 13630 Part-3	0.04 mm/m Max.	0.03 mm/m Max.
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	Passed
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	Passed
Co-Efficient of Linear Thermal Expansion	IS 13630 Part-4	9X10 ⁻⁶ K ⁻¹ Max.	7.5X10 ⁻⁶ K ⁻¹ Max.
CHEMICAL PROPERTIES			
Resistance to Houshold chemcial	IS 13630 Part-8	Min. Class- AA	Min. Class- AA
Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1

PACKING DETAILS				
DIMENSION (MM)	BOX			
	Tiles/Box	Coverage/Box(Sq.-Ft.)	Coverage/Box(Sq-Mtrs.)	Thickness (mm)
300x450	5	7.26	0.67	Min. 7.5 , Max. 12
300x600	5	9.68	0.90	Min. 7.5 , Max. 12

Vogue Collection (Greselain) / 600 X 1200 mm

CHARACTERISTICS	TEST METHOD	IS 15622:2017 GROUP - B Ib - REQUIREMENTS	OUR VALUE
DIMENSION & SURFACE QUALITY			
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Deviation in Thickness (%)	IS 13630 Part-1	± 5.0%	± 4.0%
Straightness of Sides (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.2%
Surface Quality (%)	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
PHYSICAL PROPERTIES			
Water Absorption	IS 13630 Part-2	Avg. 0.08 < E ≤ 3 % Ind.- 3.3 Max %	Less than 3%
MOR-Modulus of Rupture	IS 13630 Part-6	Avg 30 N/mm ² Ind.-27 N/mm ²	Avg. 32 N/mm ²
Breaking strength	IS 13630 Part-6	Thickness < 7.5mm -700N Thickness ≥ 7.5mm-1100N	Min. 1300N
Resistance to Surface Abrasion (Glazed Tiles) (PEI groups II III IV V)	IS 13630 Part-11	Min. Class II	Class III-V
MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2
Moisture Expansion	IS 13630 Part-3	0.02mm/m	< 0.02 mm/m
Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	Passed
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	Passed
Frost Resistance	IS 13630 Part-10	Resistant	No damage
Co-Efficient of Linear Thermal Expansion	IS 13630 Part-4	7X10 ⁻⁶ K ⁻¹ Max.	6X10 ⁻⁶ K ⁻¹ Max.
CHEMICAL PROPERTIES			
Resistance to Household Chemicals	IS 13630 Part-8	Min. AA	Min. AA
Resistance to Stain	IS 13630 Part-8	Min. Class 1	Class I, Min.

PACKING DETAILS				
DIMENSION (MM)	BOX			
	Tiles/Box	Coverage/Box(Sq.-Ft.)	Coverage/Box(Sq-Mtrs.)	Thickness
600x1200	3	23.25	2.16	8.5 mm

Greselain / 600 X 600 mm

CHARACTERISTICS	TEST METHOD	IS 15622:2017 GROUP - B IIa - REQUIREMENTS	OUR VALUE
DIMENSION & SURFACE QUALITY			
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Deviation in Thickness (%)	IS 13630 Part-1	± 5.0%	± 4.0%
Straightness of Sides (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.2%
Surface Quality (%)	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Conforms
PHYSICAL PROPERTIES			
Water Absorption	IS 13630 Part-2	Avg. 3 < E ≤ 6 %	Avg. 5-6 %
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 22 N/mm² Ind.-20 N/mm²	Avg. 25 N/mm²
Breaking strength	IS 13630 Part-6	Thickness< 7.5mm -600N Thickness≥ 7.5mm-1000N	1100N, Min.
Resistance to Surface Abrasion (Glazed Tiles) (PEI groups II III IV V)	IS 13630 Part-11	Min. Class II	Class III & IV
MOH's Scratch Hardness	IS 13630 Part-13	Min. 4	Min. 4
Moisture Expansion	IS 13630 Part-3	0.03 Max	0.03 Max
Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min.
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	Passed
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	Passed
Co-Efficient of Linear Thermal Expansion	IS 13630 Part-4	9 × 10 ⁻⁶ , Max	8 × 10 ⁻⁶ , Max
CHEMICAL PROPERTIES			
Resistance to Household Chemicals	IS 13630 Part-8	Min. AA	Min. AA
Resistance to Stain	IS 13630 Part-8	Min, Class 1	Class I, Min.

PACKING DETAILS				
DIMENSION (MM)	BOX			
	Tiles/Box	Coverage/Box(Sq.-Ft.)	Coverage/Box(Sq-Mtrs.)	Thickness
600x600	4	15.50	1.44	9 mm

Double Charge / 600 X 600 mm

CHARACTERISTICS	TEST METHOD	IS 15622:2017 GROUP - B Ia - REQUIREMENTS	OUR VALUE
DIMENSION & SURFACE QUALITY			
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Deviation in Thickness (%)	IS 13630 Part-1	± 5.0%	± 4.0%
Straightness of Sides (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.2%
Surface Quality (%)	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
PHYSICAL PROPERTIES			
Water Absorption	IS 13630 Part-2	Avg.≤ 0.08 %, Ind-0.1 %	Avg.≤ 0.06 %
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm², Ind.-32 N/mm²	Avg. 36 N/mm²
Breaking strength	IS 13630 Part-6	Thickness< 7.5mm -700N Thickness≥ 7.5mm-1300N	Min. 1500N
Resistance to Deep Abrasion (Unglazed Tiles)	IS 13630 Part-12	140, Max.	130, Max.
MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2
Moisture Expansion	IS 13630 Part-3	0.02mm/m	< 0.02 mm/m
Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
Crazing Resistance	IS 13630 Part-9	NA	NA
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	Passed
Frost Resistance	IS 13630 Part-10	Resistant	No damage
Co-Efficient of Linear Thermal Expansion	IS 13630 Part-4	6X10 ⁻⁶ K ⁻¹ Max.	5X10 ⁻⁶ K ⁻¹ Max.
CHEMICAL PROPERTIES			
Resistance to Household Chemicals	IS 13630 Part-8	Min. AA	Min. AA
Resistance to Stain	IS 13630 Part-8	Min, Class 1	Class I, Min.

PACKING DETAILS				
DIMENSION (MM)	BOX			
	Tiles/Box	Coverage/Box(Sq.-Ft.)	Coverage/Box(Sq-Mtrs.)	Thickness
600x600	4	15.50	1.44	8.0 mm

TECHNICAL SPECIFICATIONS

Parking (Greselain) / 400 X 400 mm

CHARACTERISTICS	TEST METHOD	IS 15622:2017 GROUP - B Ib - REQUIREMENTS	OUR VALUE
DIMENSION & SURFACE QUALITY			
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Deviation in Thickness (%)	IS 13630 Part-1	± 5.0%	± 4.0%
Straightness of Sides (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.2%
Surface Quality (%)	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
PHYSICAL PROPERTIES			
Water Absorption	IS 13630 Part-2	Avg. 0.08 < E ≤ 3 % Ind.- 3.3 Max %	Less than 3%
MOR-Modulus of Rupture	IS 13630 Part-6	Avg 30 N/mm ² Ind.-27 N/mm ²	Avg. 32 N/mm ²
Breaking strength	IS 13630 Part-6	Thickness < 7.5mm -700N Thickness ≥ 7.5mm-1100N	Min. 1800N
Resistance to Surface Abrasion (Glazed Tiles) (PEI groups II III IV V)	IS 13630 Part-11	Min. Class II	Class III-V
MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2
Moisture Expansion	IS 13630 Part-3	0.02mm/m	< 0.02 mm/m
Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	Passed
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	Passed
Frost Resistance	IS 13630 Part-10	Resistant	No damage
Co-Efficient of Linear Thermal Expansion	IS 13630 Part-4	7X10 ⁻⁶ K ⁻¹ Max.	6X10 ⁻⁶ K ⁻¹ Max.
CHEMICAL PROPERTIES			
Resistance to Household Chemicals	IS 13630 Part-8	Min. AA	Min. AA
Resistance to Stain	IS 13630 Part-8	Min. Class 1	Class I, Min.

PACKING DETAILS				
DIMENSION (MM)	BOX			
	Tiles/Box	Coverage/Box(Sq.-Ft.)	Coverage/Box(Sq-Mtrs.)	Thickness
400x400	5	8.61	0.8	11 mm

Notes