

Corporate Office: #301-302, Park Centra, Sector-30, National Highway 8, Gurugram, Haryana. Ph. +91-124 -477 9200

Toll Free: 1800 200 7577 / 1800 103 7577

Follow us



Hindware Italian Tiles



hindwareitaliantiles




Hindware Italian Tiles



hindwareitaliantiles

www.hindwareitaliantiles.com





About us:

Hindware Italian Collection is a premium tile range that brings the timeless elegance of Italian craftsmanship to your home. Inspired by centuries of tradition, our collection offers a diverse range of designs, from classic to contemporary, to suit any aesthetic.

Each tile is meticulously crafted using the finest materials and undergoes rigorous quality control, ensuring superior durability and beauty. Whether you're looking to create a luxurious bathroom or a sophisticated living room, Hindware Italian Collection provides the ultimate design statement to your home.

The Journey of Excellence:

A Journey began with a dream to transform spaces with exquisite tile collection.

Hindware launched Hindware Italian Collection Tiles in 2022





Inaugurated 1st experience centre in Rajpura, Punjab


Onboarded Tamannaah Bhatia as the brand ambassador





Launched
"Larger Than Life"
campaign featuring
Tamannaah Bhatia
& Khali

#BrokenNotWaste A CSR campaign towards sustainable future





Crossed 100 Crores sale in 1st operating year.

Forayed into the adhesive industry with Hindware Adhesives & Grouts



Launched Hindware Italian Collection Quartz in 2024



Extensive Distribution Network



580 Active Dealers

Our extensive network of 580 active dealers ensures easy availability of our products across regions.



91 Exclusive Brand Stores

Experience our exclusive range firsthand at 91 dedicated brand stores nationwide.



Strong Presence in 300 Cities

We proudly serve customers in over 300 cities, offering quality tiles with unmatched accessibility.




8 CNFs PAN India

Our 8 strategically located CNF centers ensure timely delivery and seamless supply across India.







Slab Surfaces


























A superior array of remarkable surfaces for an elevated and immersive experience in your spaces, second to none.

Surface Advantages



Quality Raw Materials



No Alteration In Colour



Versatile For Any Project



Easy To Clean



Resitant To Heavy Loads



Hygienic Surface



Resistant To Scratches



Surface Suitable For Contact With Food

Rich in technical and physical attributes, the *meticulously crafted surfaces* are highly resilient for extensive use and easy maintenance.




Resistant To Heat & Fire

Resistant to high temperature, the surfaces are ideal for spaces like kitchens, dining tables, and more for increased safety against heat & fire mishaps.



Non-Absorbent Surface

Non-porous surfaces prevent excessive water absorption and discourage staining and microbial growth.



Resistant To Frost

Robust surfaces resist damage and stay unaffected in freeze-thaw conditions making them an excellent choice for cold regions.



Resistant To Liquids & Acids

Special glaze and non-porous characteristic of the surface prevents damages arising due to liquids, acids and other chemicals.

AREAS OF APPLICATION

The versatile formats, thicknesses, and aesthetics of Hindware tiles break and extend the boundaries of application possibilities.



BEDROOMS & LIVING AREAS

The collection's design, colors, surface, and format options assist you in crafting bedrooms and living areas that align with your vision of a dream space.



ENDURING KITCHENS

The tiles and slabs of the collection resist stains, scratches, heat, and fire effortlessly, making them ideal for crafting functional and elegant kitchens.



RESILIENT OUTDOORS

This collection effortlessly handles heavy usage and traffic, weather conditions, and more to offer you outdoor spaces as elegant as your indoor spaces.



RESISTANT BATHROOMS

Lavish and usable bath spaces are no longer a dream, with water and stain-resistant tiles and slabs with superior anti-slip and anti-skid properties.

INDEX

Presenting our dynamic collections that foster evolving aesthetic and functional needs of modern homes and spaces!

QUARTZ	14
NOVO SLABS	40
ALTEZA	58
NOVO MAGNA SLABS	84
NOVO MINI SLABS	104
NOVO MINI SLABS PREMIO	134
EXPANSE	142
EXPANSE PREMIO	216
SOLIDS	228
SQUARES	236
SOLIDS	252
PLANKS	262
PARKING & DECOR	276
ADHESIVE	284
TECHNICAL SPECIFICATION	000

QUARTZ

The Quartz from Hindware is a robust, efficient, and sustainable alternative to natural stone.

Made with crushed quartz and additives, the collection overcomes the limitations of natural stone. It is available in a stunning range of colossal sizes and luxurious Polish surface, ready to adorn and transform your spaces.



1625x3225mm 1450x3150mm

Available Surface

Polish






Quartz | 1625x3225mm



Finish_Polish
Thickness_20 mm
Category_5

Scan For 360° Vie

Scan For 360° View



White
——
Finish_Polish
Thickness_20 mm
Category_5






Carrara
Silver
Finish_Polish
Thickness_20 mm
Category_5





Carrara
Lux
Finish_Polish
Thickness_20 mm
Category_5



Scan

Navigate the delicate balance of grandeur and subtlety, ensuring your spaces exude understated elegance while incorporating luxurious appeal.







Finish Polish
Thickness 20 mm
Category 6





Alps

Finish_Polish
Thickness_20 mm
Category_6



Enjoy a deep contrasting ambiance, rich and classic, with colors and designs that mirror enduring style, transcending time and trends.





Calacatta Venezia

Finish Polish
Thickness 20 mm
Category 7





Calacatta Bliss

Finish_Polish
Thickness_20 mm
Category_7



Embrace the subliminal beauty of the snow-covered Alps and marbles captured in surfaces for spaces exuding unparalleled sophistication.

Quartz | 1625x3225mm



Calacatta Goldline


Finish_Polish
Thickness_20 mm
Category_7



Calacatta Crystaline

Finish Polish
Thickness 20 mm
Category 7







Nero Black

Finish Polish
Thickness 20 mm
Category 7








Calacatta Royale

Finish_Polish
Thickness_20 mm
Category_7



Honor the spirit and character of classic spaces with a timeless palette of colors and designs crafted to blend and stand out altogether.







Finish _ Polish
Thickness _ 20 mm
Category _ 8





* For best translucent effect 15mm thickness is suggested.

Allow the warmth of bright and cozy colors to wash into your spaces and create an inviting and rejuvenating ambiance full of life and energy.

Quartz | 1450x3150mm



Sparkle Brown

Finish_Polish
Thickness_15 mm & 20 mm
Category_1






Sparkle Bianco

Finish_Polish
Thickness_15 mm & 20 mm
Category_1






Sparkle Graphite

Finish _ Polish
Thickness _ 15 mm & 20 mm
Category _ 1





Finish_Polish
Thickness_15 mm & 20 mm
Category_1



Revive the classic ceramic decor theme with Terrazzo-inspired designs in classic colors that are ideal for spaces seeking to keep nostalgia alive.


Quartz | 1450x3150mm Quartz | 1450x3150mm



Copos White

Finish_Polish
Thickness_15 mm & 20 mm
Category_2





Crystal Black

Finish _ Polish
Thickness _ 15 mm & 20 mm
Category _ 2





Copos Ivory

Finish _ Polish
Thickness _ 15 mm & 20 mm
Category _ 2





Copos Crystal

Finish _ Polish
Thickness _ 15 mm & 20 mm
Category _ 2



Explore the classic design in modern, minimal, and dominant color shades crafted to keep the signature ambiance alive with a hint of modern charm.

Quartz | 1450x3150mm



Copos Grey

Finish _ Polish
Thickness _ 15 mm & 20 mm
Category _ 2





Finish _ Polish
Thickness _ 15 mm & 20 mm
Category _ 2

Copos Snow





Copos Beige

Finish _ Polish
Thickness _ 15 mm & 20 mm
Category _ 2



Experience the magic and charisma of classic design and modern colors, two different times intertwined in one for an ambiance second to none.



Quartz | 1450x3150mm



Classic Beige

Finish_Polish
Thickness_15 mm & 20 mm
Category_3






Classic Grigio

Finish _ Polish Thickness _ 15 mm & 20 mm Category _ 3





Classic Grey

Finish _ Polish
Thickness _ 15 mm & 20 mm
Category _ 3





Finish_**Polish**Thickness_**15 mm & 20 mm**Category_**3**



Usher opulence in your spaces with the perfect balance of quiet and warmth enclosed in the surfaces designed to elevate ambiance.








Finish _ Polish
Thickness _ 15 mm & 20 mm
Category _ 4







Finish_Polish
Thickness_15 mm & 20 mm
Category_4



Foster ambiance that mirrors a contemporary yet enduring style with tile designs and colors complementing modern-day design notions.

NOVO SLABS

The Novo Slabs from Hindware, in their colossal size of 1200x2400mm and multiple surfaces, are a perfect solution for extravagantly large spaces.

Available in GVT body, the size of slabs facilitates seamless lay in large areas such as malls, showrooms, airports, and more. Ideal for wall and floor applications, the slabs make spaces look larger and elegant with very few unflattering grout lines.



1200x 2400mm

Available Surfaces

Polish / High Gloss Matt / Wet Granulla





Novo Slabs | Glazed Vitrified Tiles | 1200x2400mm Novo Slabs | Glazed Vitrified Tiles | 1200x2400mm





Finish _ High Gloss Random _ 3 Faces Thickness _ 9 mm Category _ 1





Pietra Silver

Finish_**High Gloss**Random_**3 Faces**Thickness_**9 mm**Category_**1**





Alaska Bianco

Finish _ Matt
Random _ 2 Faces
Thickness _ 9 mm
Category _ 2





Finish _ Matt
Random _ 2 Faces
Thickness _ 9 mm
Category _ 2




Discover timelessly eloquent colors that never fail to impress and lend a classic appeal to the ambiance of your spaces.

Novo Slabs | Glazed Vitrified Tiles | 1200x2400mm



Noble Grey

Finish _ High Gloss Random _ 3 Faces Thickness _ 9 mm Category _ 3



Portoro Nero Black

Finish_**High Gloss**Random_**3 Faces**Thickness_**9 mm**Category_**3**





Gold Onyx Beige

Finish _ High Gloss Random _ 3 Faces Thickness _ 9 mm Category _ 3





Antique Beige

Finish _ Wet Granulla Random _ 3 Faces Thickness _ 9 mm Category _ 4



Imbue energy and lively ambiance in your spaces with the spirited designs and vivacious elegance of the collection.



 ${\sf Floor/Wall_Onyx\,Crema}$



Onyx Crema

Finish _ Polish
Random _ 3 Faces
Thickness _ 9 mm
Category _ 4






Finish _ Matt
Random _ 3 Faces
Thickness _ 9 mm
Category _ 5



Infuse classic elegance in your spaces with colors and designs transcending time, trends, and standing the test of time.

Novo Slabs | Glazed Vitrified Tiles | 1200x2400mm Novo Slabs | Glazed Vitrified Tiles | 1200x2400mm



Calacutta Natural Beige

Finish _ Wet Granulla Random _ 3 Faces Thickness _ 9 mm Category _ 6





Statuario Natural Crema

Finish_Wet Granulla Random_4 Faces Thickness_9 mm Category_6





Ocean Onyx Blue

Finish _ Wet Granulla Random _ 3 Faces Thickness _ 9 mm Category _ 6





Black Marquina

Finish _ Wet Granulla Random _ 3 Faces Thickness _ 9 mm Category _ 6



Enjoy the aesthetics of nature in incredibly intrinsic tile & slab design that looks exceedingly natural and elegant.



Novo Slabs | Glazed Vitrified Tiles | 1200x2400mm



Silver River Grey

Finish _ Wet Granulla Random _ 3 Faces Thickness _ 9 mm Category _ 6



Grey Williams Dark Brown

Finish _ Wet Granulla Random _ 3 Faces Thickness _ 9 mm Category _ 6





Statuario Real White

Finish _ Wet Granulla Random _ 2 Faces Thickness _ 9 mm Category _ 6





Calacutta Gold

Finish _ Wet Granulla Random _ 3 Faces Thickness _ 9 mm Category _ 6



Enjoy a curious and timeless sophistication in your spaces with tile designs rich in intrinsic aesthetics that are a cut above the rest.





Finish _ Polish
Random _ 3 Faces
Thickness _ 9 mm
Category _ 6





Finish_Wet Granulla Random_3 Faces Thickness_9 mm Category_6



Witness tile designs that masterfully imitate the intricate patterns of natural stone to fetch the same grandeur and enormity into your spaces.

ALTEZA

The Alteza 1200x1800mm and 800x2400mm slabs have a 15mm thickness, an opulent Polish surface, and GVT and full body, making the range a superior tiling solution for bathrooms, living rooms, bedrooms, and more. Ideal for flooring, wall tiling, and more, the range offers the essence of luxury to your spaces. The sizes effortlessly manage to make your spaces look grander.




800x2400mm 1200x1800mm

Available Surface

Polish

15mm Thickness










Finish _ Polish
Thickness _ 15 mm
Category _ 1

Mac Geo White



Finish _ Polish Thickness _ 15 mm








Arabescato





Himalayan Gold Finish Polish
Random 3 Faces
Thickness 15 mm
Category 1







Experience exceptional ceramic designs that mimic the captivating allure of natural stones and bring nature's ebullience to your spaces.







Finish Polish
Thickness 15 mm
Category 2

Mac Geo Black







Redefine interior design narrative with an unconventional and dominating palette of somber colors and complementing contrasting shades.





Mac Mono Silver

Finish Polish
Thickness 15 mm
Category 3










Finish Polish
Thickness 15 mm
Category 3

Mac Black



Truly modern, the palette is the new definition of contemporary elegance, bringing minimalism to the heart of modern design.






Finish _ Polish
Thickness _ 15 mm
Category _ 3









Finish_Polish
Thickness_15 mm
Category_3







Embrace modern minimalism in your spaces with a solid color palette for contemporary elegance and superiorly urban eminence.







Mac Honey

Finish _ Polish
Thickness _ 15 mm
Category _ 3



Mac Mono Cheese

Finish _ Polish
Thickness _ 15 mm
Category _ 4




Mac Cinnamon

Finish _ Polish
Thickness _ 15 mm
Category _ 5

Craft spaces that fee expansive and intimate with elegant and striking colors that complement understated and maximalist themes.






s

Finish _ Polish
Thickness _ 15 mm
Category _ 5

Mac Bianco







Scan Fo

Make a modernly classic style statement in your spaces with timeless and solid shades of tiles and cut a delicate sense of balance.





Mac Mono Steel

Finish_Polish
Thickness_15 mm
Category_5







Finish Polish
Thickness 15 mm
Category 5

Craft contemporary spaces that are both luxurious and inviting, catering to changing moods and tending to different trends and times.





Spesso Breccia Beige

Finish Polish
Random 2 Faces
Thickness 15 mm
Category 1



Spesso Classic Beige

Finish _ Polish
Random _ 2 Faces
Thickness _ 15 mm
Category _ 1





Spesso Breccia Grey

Finish Polish
Random 2 Faces
Thickness 15 mm
Category 1



Spesso Classic Grey

Finish Polish
Random 2 Faces
Thickness 15 mm
Category 1





Spesso Onix Ceramel

Finish Polish
Random O Faces
Thickness 15 mm
Category 1



Spesso Fantasy Grey

Finish _ Polish
Random _ 4 Faces
Thickness _ 15 mm
Category _ 1



Spesso Onix lce


Finish _ Polish
Random _ 2 Faces
Thickness _ 15 mm
Category _ 1






Spesso Maurizo


Finish _ Polish
Random _ 3 Faces
Thickness _ 15 mm
Category _ 1











Spesso Statuario Classic

Finish _ Polish
Random _ 2 Faces
Thickness _ 15 mm
Category _ 1



Spesso Persian Statuario

Finish _ Polish
Random _ 3 Faces
Thickness _ 15 mm
Category _ 1





Spesso Vintage Beige

Finish _ Polish
Random _ 2 Faces
Thickness _ 15 mm
Category _ 1






Spesso Royal Statuario

Finish _ Polish
Random _ 3 Faces
Thickness _ 15 mm
Category _ 1





Spesso Rich Carrara

Finish _ Polish
Random _ 3 Faces
Thickness _ 15 mm
Category _ 1





Spesso Fantasy Crema

Finish Polish
Random 4 Faces
Thickness 15 mm
Category 1





Floor_**Spesso Belgium**Wall_**Spesso Belgium & Spesso Classic Grey**



Spesso Belgium

Finish _ Polish
Random _ 3 Faces
Thickness _ 15 mm
Category _ 1



Spesso Nevo Bottichino

Finish _ Polish
Random _ 3 Faces
Thickness _ 15 mm
Category _ 1





Spesso Opera

Finish _ Polish
Random _ 3 Faces
Thickness _ 15 mm
Category _ 1





Spesso Nevo Athens Gold

Finish _ Polish
Random _ 3 Faces
Thickness _ 15 mm
Category _ 1



NOVO MAGNA SLABS

The Novo Magna Slabs is a remarkable range of 1200x1800mm slabs in opulent Polish and muted Matt-Spa and Carving surface options.

The GVT body slabs are a superior tiling option for residential and public spaces, creating the illusion of spacious spaces and making them look more magnificent.



1200x 1800mm

Available Surfaces

Polish / Matt-Spa Carving







Volkas White

Finish Polish
Random 2 Faces
Thickness 9 mm
Category 1





Erey Crema

Finish _ Polish
Random _ 3 Faces
Thickness _ 9 mm
Category _ 1





Niagara Crema

Finish_Polish
Random_3 Faces
Thickness_9 mm
Category_1



Burberry Crema

Finish Polish
Thickness 9 mm
Category 1





Salmon Grey

Finish _ Polish
Random _ 3 Faces
Thickness _ 9 mm
Category _ 1



Perla Grey

Finish _ Polish
Random _ 3 Faces
Thickness _ 9 mm
Category _1



Milano Beige

NEW

Finish _ Polish
Random _ 3 Faces
Thickness _ 9 mm
Category _ 1






Sofita Crema

Finish _ Polish
Random _ 3 Faces
Thickness _ 9 mm
Category _ 1









Breccia Grey

Finish _ Polish
Random _ 2 Faces
Thickness _ 9 mm
Category _ 1



Statuario Classic

Finish _ Polish
Random _ 2 Faces
Thickness _ 9 mm
Category _ 1





Vintage Beige

Finish _ Polish
Random _ 2 Faces
Thickness _ 9 mm
Category _ 1






Statuario Natural

Finish Polish
Random 4 Faces
Thickness 9 mm
Category 1










Finish _ Polish
Random _ 2 Faces
Thickness _ 9 mm
Category _ 1



Classic Beige

Finish _ Polish
Random _ 2 Faces
Thickness _ 9 mm
Category _ 1






Finish _ Polish
Random _ 2 Faces
Thickness _ 9 mm
Category _ 1




Classic Grey

Finish _ Polish
Random _ 2 Faces
Thickness _ 9 mm
Category _ 1









Breccia Beige

Finish _ Polish
Random _ 2 Faces
Thickness _ 9 mm
Category _ 1





Dazz Milano Beige

Finish _ Carving
Random _ 3 Faces
Thickness _ 9 mm
Category _ 2





Finish _ Polish
Random _ 2 Faces
Thickness _ 9 mm
Category _ 1



Dazz Orbetello Grey

Finish _ Carving
Random _ 3 Faces
Thickness _ 9 mm
Category _ 2











Dazz Vintage Grey

Finish _ Carving
Random _ 2 Faces
Thickness _ 9 mm
Category _ 2





Luxy Volkas White

Finish _ Matt-Spa Random _ 2 Faces Thickness _ 9 mm Category _ 3





Dazz Vintage Silver

Finish _ Carving
Random _ 2 Faces
Thickness _ 9 mm
Category _ 2





Luxy Niagara Grey

Finish _ Matt-Spa Random _ 3 Faces Thickness _ 9 mm Category _ 3





Luxy Niagara Crema

Finish _ Matt-Spa Random _ 3 Faces Thickness _ 9 mm Category _ 3





Luxy Raddix Crema

Finish _ Matt-Spa Random _ 3 Faces Thickness _ 9 mm Category _ 3





Floor/Wall _ Luxy Raddix Crema



Luxy Michelangelo Crema

Finish _ Matt-Spa Random _ 3 Faces Thickness _ 9 mm Category _ 3





Finish _ Matt-Spa Random _ 3 Faces Thickness _ 9 mm Category _ 3





Luxy Lafia Beige

Finish _ Matt-Spa Random _ 2 Faces Thickness _ 9 mm Category _ 4



NOVO MINI SLABS

The Novo Mini Slabs in the GVT category by
Hindware is a collection of 800x1600mm slabs
available in a plethora of finishes suitable for
various functional and aesthetic needs of
spaces. The slabs' size and elegant thicknesses
offer gracious wall, floor, furniture solutions, and
more, transforming spaces into elegant,
luxurious, and mesmeric ones.



800x 1600mm

Available Surfaces

Polish / Matt / Silk / High Gloss
Carving / Stone / Lappato
Robusto-Matt / GHR
Metallic






Novo Mini Slabs | Glazed Vitrified Tiles | 800x1600mm

NEW



Infinity Apex Grey

Finish _ Polish
Random _ 4 Faces
Thickness _ 9 mm
Category _ 1



Infinity Legacy White

Finish_Polish Random_4 Faces Thickness_9 mm Category **_1**

NEW



Infinity Chinty Grey

Finish_**Polish** Random **4 Faces**Thickness **9 mm**Category **1**





Infinity Maceal Bianco

Finish _ Polish
Random _ 4 Faces
Thickness _ 9 mm
Category _ 1



Infinity Mist White

Finish_Polish
Random_4 Faces
Thickness_9 mm Category _ 1





Infinity Favo Beige

Finish _ **Polish** Random _ 4 Faces
Thickness _ 9 mm
Category _ 1





Infinity Nivatos White

Finish _ **Polish** Random _ 4 Faces
Thickness _ 9 mm
Category _ 1





Category_**1**

NEW



Coreno Grey

Finish _ Matt Random _ 4 Faces
Thickness _ 9 mm Category_**1**



Finishes _ High Gloss / Polish Random _ 4 Faces Thickness _ 9 mm Category _1

Antalya Bianco





Fantastico Mint

Finish_**Polish** Random **4 Faces**Thickness **9 mm**Category **1**



Fuscia Beige

Finish _ Polish
Random _ 4 Faces
Thickness _ 9 mm
Category _ 1







Novo Mini Slabs | Glazed Vitrified Tiles | 800x1600mm Novo Mini Slabs | Glazed Vitrified Tiles | 800x1600mm



Lagos Gold

Finish _ Polish
Random _ 4 Faces
Thickness _ 9 mm
Category _ 1



Mini Breccia Aurora

Finishes _ High Gloss / Polish Random _ 3 Faces Thickness _ 9 mm Category _ 1



Mystery White

Finish_**Polish** Random **4 Faces**Thickness **9 mm**Category **1**





Narciso Grey

Finish _ Polish
Random _ 4 Faces
Thickness _ 9 mm
Category _ 1



Nova Armani Silver

Finish _ **Polish** Random _ 4 Faces
Thickness _ 9 mm
Category _ 1



Nova Calacatta

Finish _ **Polish** Random _ 4 Faces
Thickness _ 9 mm
Category _ 1



Scan For 360° View



Rasa Creme

Finish _ Polish Random **2 Faces** Thickness **9 mm** Category **_1**



Royale Creme

Finish _ **Polish** Random **5 Faces** Thickness **9 mm** Category_**1**



Swiss White

Finish_**Polish** Random_4 Faces
Thickness_9 mm
Category_1



Finish _ Silk
Random _ 4 Faces
Thickness _ 9 mm
Category _ 2

Vitara Silk

Grey





Vitara Silk Taupe


Finish_**Silk** Random **4 Faces**Thickness **9 mm**Category **2**



Infinity Amor Cream

Finish _ Polish
Random _ 4 Faces
Thickness _ 9 mm
Category _ 2







Infinity Calacatta White

Finish _ Polish
Random _ 4 Faces
Thickness _ 9 mm
Category _ 2





Finish Polish
Random 4 Faces
Thickness 9 mm
Category 2






Finish Polish
Endless 4 Faces
Thickness 9 mm
Category 2



Scan For 360° View



Infinity Statuario

Finish _ Polish
Random _ 6 Faces
Thickness _ 9 mm
Category _ 2





Infinity Tunis Beige

Finish_Polish
Endless_4 Faces
Thickness_9 mm
Category_2



Valencia Silk White

Finish _ Silk
Random _ 2 Faces
Thickness _ 9 mm
Category _ 2











Finish _ Stone
Random _ 4 Faces
Thickness _ 9 mm
Category _ 3




Marengo Grey

Finish _ Stone
Random _ 4 Faces
Thickness _ 9 mm
Category _ 3



Dazz Infinity Legacy White


Finish _ Carving
Random _ 4 Faces
Thickness _ 9 mm
Category _ 3



Dazz Infinity Chinty Grey

Finish _ Carving
Random _ 4 Faces
Thickness _ 9 mm
Category _ 3





Dazz Infinity Maceal Bianco

Finish _ Carving
Random _ 4 Faces
Thickness _ 9 mm
Category _ 3





Finish Carving
Random 4 Faces
Thickness 9 mm
Category 3







Novo Mini Slabs | Glazed Vitrified Tiles | 800x1600mm



Dazz Lagos Gold

Finish _ Carving
Random _ 4 Faces
Thickness _ 9 mm
Category _ 3



Dazz Mystery White

Finish _ Carving
Random _ 4 Faces
Thickness _ 9 mm
Category _ 3



Dazz Nova Calacatta

Finish_Carving
Random_4 Faces
Thickness_9 mm
Category_3







Dazz Swiss White

Finish _ Carving
Random _ 4 Faces
Thickness _ 9 mm
Category _ 3



Fantastico Bianco

Finish_Carving
Random_4 Faces
Thickness_9 mm
Category_3



Fantastico Blue

Finish Carving
Random 4 Faces
Thickness 9 mm
Category 3





Fantastico White

Finish _ Carving
Random _ 4 Faces
Thickness _ 9 mm
Category _ 3



Martian Slate

Finish_Carving
Random_4 Faces
Thickness_9 mm
Category_3



Mimosa Grey


Finish_Carving
Thickness_9 mm
Category_3



Mirto Bottochino

Finish_Carving
Thickness_9 mm
Category_3





Perlatto Bianco

Finish _ Lappato Random _ 4 Faces Thickness _ 9 mm Category _ 4




Bronzite Black

Finish _ High Gloss Random _ 4 Faces Thickness _ 9 mm Category _ 5











Sivec Crema

Finish _ Lappato
Random _ 4 Faces
Thickness _ 9 mm
Category _ 4

















Narciso Dark

Finish _ High Gloss Random _ 4 Faces Thickness _ 9 mm Category _ 4





Dazz Pablo Grey

Finish _ Multi Carving
Random _ 4 Faces
Thickness _ 9 mm
Category _ 4



Dazz Nyala Grey

Scan For 360° View

Finish _ Multi Carving Random _ 4 Faces Thickness _ 9 mm Category _ 4











Finish _ **High Gloss**Random _ **4 Faces**Thickness _ **9 mm**Category _ **5**





NEW

Finish _ High Gloss Random _ 4 Faces Thickness _ 9 mm Category _ 5





Filex Nero

Finish _ GHR
Random _ 4 Faces
Thickness _ 9 mm
Category _ 6





Filex Ivory

Finish _ GHR
Random _ 4 Faces
Thickness _ 9 mm
Category _ 6





Filex Grey


Finish _ GHR
Random _ 4 Faces
Thickness _ 9 mm
Category _ 6



Harley Aqua

Finish_Robusto - Matt Random_4 Faces Thickness_9 mm Category_6









Finish_Robusto - Matt Random_4 Faces Thickness_9 mm Category_6





Finish _ Robusto - Matt Random _ 4 Faces Thickness _ 9 mm Category _ 6



Hercules Grey

Finish _ Robusto - Matt Random _ 4 Faces Thickness _ 9 mm Category _ 6





Moongaze Bianco

Finish _ Robusto - Matt Random _ 4 Faces Thickness _ 9 mm Category _ 6





Espacio Emrald

Finish _ Metallic Random _ 4 Faces Thickness _ 9 mm Category _ 7



Espacio Blue

Finish _ Metallic Random _ 4 Faces Thickness _ 9 mm Category _ 7



NOVO MINI SLABS PREMIO

The Novo Mini Slabs Premio in the GVT category by Hindware accommodates the 800x1600mm size in three classic surfaces: Polish, Matt, and Carving. As the name suggests, the collection features premium surfaces and color options, including the mystique Carving surface, offering one-of-a-kind aesthetic details.



800x 1600mm

Available Surfaces

Polish / Matt Carving










Cliff Onyx

Finish _ Polish
Random _ 4 Faces
Thickness _ 9 mm
Category _ 1



Glam Statuario

Finish _ **Polish** Random _ **4 Faces**Thickness _ **9 mm** Category **1**





Finish_**Polish** Random _ **4 Faces**Thickness _ **9 mm** Category_**1**

Dolomiti

White

NEW

NEW





Venato White

Finish _ Polish
Random _ 4 Faces
Thickness _ 9 mm
Category _ 1





Palomino Grey

Finish _ **Polish** Random _ 4 Faces Thickness _ 9 mm Category **1**



Finish _ **Polish** Random **3 Faces** Thickness **9 mm** Category **1**





Atlantide Beige

Finish _ Polish Random **4 Faces** Thickness **9 mm** Category **_1**



Coralito Beige

NEW

Finish_Polish Random **4 Faces** Thickness **9 mm** Category_**1**

NEW



Bardiglio Grey

NEW

Finish _ Polish Random _ 4 Faces
Thickness _ 9 mm Category_**1**





Polar White

Finish _ Polish
Random _ 4 Faces
Thickness _ 9 mm
Category _ 1





Smokey Bianco

 $\mathsf{Finish}_{_}\mathbf{Matt}$ Random **4 Faces** Thickness **9 mm** Category **1**



Smokey Mocha

Finish_**Matt** Random **4 Faces** Thickness **9 mm** Category **1**



Premio | Glazed Vitrified Tiles | 800x1600mm





Smokey Nero

Finish _ Matt
Random _ 4 Faces
Thickness _ 9 mm
Category _ 1







Smokey Taupe

Finish _ Matt
Random _ 4 Faces
Thickness _ 9 mm
Category _ 1





Dazz Tacasa Bianco

Finish _ Carving
Random _ 5 Faces
Thickness _ 9 mm
Category _ 2





Dazz Tacasa Grey

Finish _ Carving
Random _ 5 Faces
Thickness _ 9 mm
Category _ 2





Dazz Amarillo Crema

Finish _ Carving
Random _ 4 Faces
Thickness _ 9 mm
Category _ 2



Dazz Hail Bianco

Finish _ Carving Random _ 4 Faces
Thickness _ 9 mm
Category _ 2





Finish _ Carving
Random _ 4 Faces
Thickness _ 9 mm
Category _ 2





EXPANSE


The most versatile format by Hindware is the Expanse in 600x1200mm in GVT. This size is ideal for application in multiple spaces, is easy to handle and lay, and is perfectly balanced for easy flooring and wall tiling in residential, commercial, and other settings. Truly versatile, the Expanse is available in options crafted to match your style.





600x 1200mm


Available Surfaces

Polish / High Gloss
Super High Gloss / Silk
Glue Granule / Matt
Carving / Anti Skid / GHR
Gloster / Metallic










Tozetto Brown

Finish _ Matt
Thickness _ 8.5 mm
Category _ 1



Tozetto Grey

Finish_Matt
Thickness_8.5 mm
Category_1







Torpedo Crema

Finish_Matt
Thickness_8.5 mm
Category_1



Travo Brown

NEW

Finish_Matt
Random_0 Faces
Thickness_8.5 mm
Category_1





Hampton Grey

Finish _ Matt
Thickness _ 8.5 mm
Category _ 1



Raffinato Coffee

Finish _ Matt
Thickness _ 8.5 mm
Category _1







Ashstone Light Grey

Finish _ Matt Thickness _ **8.5 mm**Category _ **1**



Ashstone Dark Grey

Finish_**Matt** Thickness _ **8.5 mm** Category_**1**





Locorust White

Finish _ Matt Thickness _ **8.5 mm** Category_**1**





Locorust Grey

Finish _ Matt Thickness _ **8.5 mm** Category_**1**





Oyester Beige

Finish _ Matt Thickness **8.5 mm**Category **1**



Oyester Brown

Finish_**Matt** Thickness _ **8.5 mm** Category_**1**





Oakwood Beige

Finish _ Matt Thickness _ **8.5 mm** Category **1**



Rock Wood Brown

Finish_Matt
Random_3 Faces
Thickness_8.5 mm
Category_1







Vineer Choco

Finish _ Matt Random _ 4 Faces Thickness _ 8.5 mm Category_**1**



Vineer Brown

Finish _ Matt Random **4 Faces** Thickness **8.5 mm** Category_1





Mandala Art Beige

Finish_Matt
Random_2 Faces
Thickness_8.5 mm Category_**1**



Mandala Art Decor

Finish _ **Matt** Thickness _ **8.5 mm** Category_**1**





Venice Crema

Finish _ Matt Thickness_8.5 mm. Category **_1**



Venice Beige

Finish_**Matt** Thickness _ **8.5 mm** Category _ **1**









Venice Grey

Finish _ Matt Thickness _ **8.5 mm** Category_**1**





Carnico Grey

Finish _ Polish Thickness _ **8.5 mm** Category_**1**





Napoleano Crema

Finish _ **Polish** Thickness **_ 8.5 mm**Category **_ 1**





Michel Onyx

Finish_**Polish** Thickness _ **8.5 mm** Category_**1**





Infinity Zebrino Brown


Finish _ Polish Thickness _ **8.5 mm** Category_**1**



Infinity Marina Beige

Finish _ Polish Thickness _ **8.5 mm** Category_**1**

NEW



Expanse | Glazed Vitrified Tiles | 600x1200mm



Infinity Levante Brown

Finish _ Polish Thickness _ **8.5 mm** Category_1



Infinity Baccarat Grey

Finish _ Polish Thickness _ **8.5 mm** Category_**1**





Infinity Pulchiano Grey

Finish _ Polish Thickness _ **8.5 mm** Category _ **1**



Infinity Scabas Grey

Finish _ **Polish** Thickness _ **8.5 mm** Category_**1**





Infinity Artico Grey

Finish _ Polish Thickness _ **8.5 mm** Category **_1**



Versace Gold

Finish _ **Polish** Thickness _ **8.5 mm** Category_**1**





Infinity Quantre Grey

Finish _ Polish Thickness _ **8.5 mm** Category_1





Infinity Artico Natural

Finish _ Polish Thickness _ **8.5 mm** Category_**1**





Infinity Statuario Extra

Finish_**Polish**Thickness_**8.5 mm**Category_**1**





Infinity Portofino Grey

Finish_**Polish** Thickness _ **8.5 mm** Category_**1**





Pasato Crema

Finish_**Polish** Thickness _ **8.5 mm** Category_**1**



Infinity Mortiz Brown

Finish _ Polish Thickness _ **8.5 mm** Category_**1**

NEW





Infinity Crush White

Finish _ Polish Thickness _ **8.5 mm** Category_**1**



Infinity Rare Calacutta

Finish _ Polish Thickness _ **8.5 mm** Category_**1**





Infinity Vena Onyx

Finish _ Polish Thickness _ **8.5 mm** Category _ **1**



Infinity Bardiglio White

Finish _ **Polish** Thickness _ **8.5 mm** Category_**1**



Expanse | Glazed Vitrified Tiles | 600x1200mm Expanse | Glazed Vitrified Tiles | 600x1200mm



Polaro Creme

Finish _ **Polish** Thickness _ **8.5 mm** Category **1**



Brescia Natural

Finish_**Polish** Thickness _ **8.5 mm** Category_**1**



Rio Gold

Finish _ Polish Thickness _ **8.5 mm** Category_1



Brescia Beige

Finish Polish
Thickness 8.5 mm Category_**1**





Bottochino Crema

Finish _ Polish
Random _ 4 Faces
Thickness _ 8.5 mm Category_**1**





Statario Classico

Finish _ Polish Thickness _ **8.5 mm**







Canus Grey

Finish _ Polish
Thickness _ 8.5 mm
Category _ 1





Brescia Royale Cream

Finish_**Polish** Thickness_**8.5 mm** Category _ **1**





Marcellus Beige

Finish_Polish
Thickness_8.5 mm Category_**1**



Armano Beige

Finish _ Polish Thickness _ **8.5 mm** Category_**1**





Armano Grey

Finish _ **Polish** Thickness _ **8.5 mm** Category _ **1**




Travertine Beige

Finish _ Polish Thickness _ 8.5 mm Category_**1**







Trendy White

Finish Polish
Thickness 8.5 mm
Category 1



Pristine White

Finish Polish
Thickness 8.5 mm
Category 1





Armani Croma

Finish_Polish
Random_4 Faces
Thickness_8.5 mm
Category_1



Crystal Onyx Ivory

Finish Polish
Random 3 Faces
Thickness 8.5 mm
Category 1





Creme Marfil


Finish _ Polish
Random _ 4 Faces
Thickness _ 8.5 mm
Category _ 1



Marfil Eterna

Finish Polish
Random 4 Faces
Thickness 8.5 mm
Category 1







Terra Breccia

Finish_Polish
Random_4 Faces
Thickness_8.5 mm
Category_1



Ruina Extalia

Finish Polish
Random 4 Faces
Thickness 8.5 mm
Category 1





Oliva Caverna


Finish Polish
Random 4 Faces
Thickness 8.5 mm
Category 1



Ferra Emperador

Finish Polish
Random 4 Faces
Thickness 8.5 mm
Category 1





Asterio Blue

Finish_Polish
Thickness_8.5 mm
Category_1



Asterio Brown

Finish _ Polish
Thickness _ 8.5 mm
Category _1





Mountain Rock

Finish Polish
Random 5 Faces
Thickness 8.5 mm
Category 1



Glacia Nuvo

Finish _ **Polish** Random_4 Faces Thickness_8.5 mm Category_1





Glacia Ruina Grey

Finish _ Polish Random **4 Faces** Thickness **8.5 mm** Category_**1**



Infinity Sparten Grey

Finish _ Polish Random_4 Faces
Thickness_8.5 mm Category_**1**





Inifinity Grey River

Finish_Polish
Random_4 Faces
Thickness_8.5 mm
Category_1



Infinity Amber Crema

Finish_**Polish** Random_**4 Faces**Thickness_**8.5 mm** Category $_{f 1}$





Infinity Machu Cream

Finish_Polish
Random_4 Faces
Thickness_8.5 mm
Category_1



Infinity Machu Ice

Finish Polish
Random 4 Faces
Thickness 8.5 mm
Category 1





Infinity Aroma White

Finish _ Polish Random **4 Faces** Thickness **8.5 mm** Category_**1**

Infinity Sparten Silver

Finish_Polish
Random_4 Faces
Thickness_8.5 mm

Category_**1**



Kashimiri White

Finish _ Polish Category _1




Random _ 3 Faces
Thickness _ 8.5 mm




Infinity Augusto Crema Scan For 360° View

Finish _ Polish
Random _ 4 Faces
Thickness _ 8.5 mm Category_**1**







Infinity Satrun White

Finish Polish
Random 4 Faces
Thickness 8.5 mm
Category 1



Finish Polish
Random 4 Faces
Thickness 8.5 mm
Category 1



Infinity Bercy Blue





Infinity Devis White

Finish Polish
Random 5 Faces
Thickness 8.5 mm
Category 1



Infinity Kore Grey

Finish Polish
Random 3 Faces
Thickness 8.5 mm
Category 1





Infinity Royal White

Finish Polish
Random 3 Faces
Thickness 8.5 mm
Category 1



Phonix White

Finish Polish
Random 5 Faces
Thickness 8.5 mm
Category 1








Infinity Freedom Cream

Finish Polish
Random 4 Faces
Thickness 8.5 mm
Category 1



Infinity Julian Grey

Finish_Polish
Random_3 Faces
Thickness_8.5 mm
Category_1









Infinity Pluto Cream

Finish_Polish
Random_4 Faces
Thickness_8.5 mm
Category_1



Infinity Pluto Brown

Finish_Polish
Random_4 Faces
Thickness_8.5 mm
Category_1





Infinity Laponia Brown

Finish_Polish
Random_4 Faces
Thickness_8.5 mm
Category_1



Beige

Finish_Polish
Random_4 Faces
Thickness_8.5 mm
Category_2





Florida White

Finish_Polish
Random_3 Faces
Thickness_8.5 mm
Category_1



Grey

Finish Polish
Random 4 Faces
Thickness 8.5 mm
Category 2

NEW





Infinity Acropolis Grey

Finish_Polish
Thickness_8.5 mm
Category_2



Infinituy Lumina White

Finish_Polish
Thickness_8.5 mm
Category_2

NEW





Infinity Calcite Grey


Finish Polish
Thickness 8.5 mm
Category 2



Infinity Zarci Pink

Finish_Polish
Thickness_8.5 mm
Category_2





Opel Beige

Finish_Polish
Thickness_8.5 mm
Category_2



Luxy Speciale Blue

Finish _ Polish
Thickness _ 8.5 mm
Category _ 2





Luxy Speciale Pink

Finish Polish
Thickness 8.5 mm
Category 2





Luxy Speciale Aqua

Finish_Polish
Thickness_8.5 mm
Category_2





Infinity Coralito Grey

Finish_Polish
Thickness_8.5 mm
Category_2





Infinity Cenia Beige

Finish_Polish
Random_4 Faces
Thickness_8.5 mm
Category_2





Infinity Travo Grey

Finish _ Polish
Thickness _ 8.5 mm
Category _ 2



Infinity Napoleano Bianco

Finish _ Polish
Random _ 4 Faces
Thickness _ 8.5 mm
Category _ 2

NEW



Expanse | Glazed Vitrified Tiles | 600x1200mm



Infinity Napoleano Grey

Finish _ Polish
Random _ 4 Faces
Thickness _ 8.5 mm
Category _ 2



Infinity Pesato Beige

Finish _ Polish
Thickness _ 8.5 mm
Category _ 2





Infinity Pesato Grey

Finish _ Polish
Thickness _ 8.5 mm
Category _ 2



Infinity Rosso White

Finish _ Polish
Thickness _ 8.5 mm
Category _ 2





Infinity Albeta White

Finish _ Polish Thickness _ **8.5 mm**Category _ **2**



Infinity Volkas white

Finish_**Polish** Thickness _ **8.5 mm** Category _ **2**





Infinity Gorgiea

Finish_**Polish** Thickness_**8.5 mm** Category **2**





Infinity Luca White

Finish _ Polish Thickness _ **8.5 mm** Category_2





Lucid Grey

Finish Polish
Random 2 Faces
Thickness 8.5 mm
Category 2





Snow White

Finish_**Polish** Random_6 Faces
Thickness_8.5 mm Category_2





Fairytale White

Finish Polish
Random 4 Faces
Thickness 8.5 mm
Category 2



Brazilian Tan

Finish Polish
Random 3 Faces
Thickness 8.5 mm
Category 2





Mountain Grey

Finish_Polish
Random_3 Faces
Thickness_8.5 mm Category **2**



Winter Grey

Finish _ Polish Random_8 Faces
Thickness_8.5 mm Category_**2**





Sunderban Beige

Finish Polish
Random 3 Faces
Thickness 8.5 mm
Category 2



lcy Grey

Finish _ Polish
Random _ 3 Faces
Thickness _ 8.5 mm Category _ **2**







Marine Blue

Finish Polish
Random 3 Faces
Thickness 8.5 mm
Category 2



Formidable Grey

Finish _ **Polish** Random_3 Faces Thickness_8.5 mm Category_2



Arron White

Finish Polish
Random 4 Faces
Thickness 8.5 mm
Category 2



White

Finish Polish
Random 6 Faces
Thickness 8.5 mm
Category 2





Armano Brown

Finish _ Polish Random _ 4 Faces Thickness _ **8.5 mm** Category **2**



Scan For 360° View



Crysta Nova

Finish _ Polish Random_4 Faces
Thickness_8.5 mm Category_**2**





Shy Pink

Finish_Polish Random_2 Faces Thickness_8.5 mm Category_2



Grey

Finish_**Polish** Random_4 Faces
Thickness_8.5 mm Category_2





Infinity Kairos White

Finish _ Polish Random **4 Faces** Thickness **8.5 mm** Category_**2**



Infinity Avila White

Finish _ Polish Random **4 Faces**Thickness **8.5 mm** Category_**2**





Infinity Hermes Beige

Finish_Polish
Random_4 Faces
Thickness_8.5 mm Category_**2**



Infinity Hermes Grey

Finish Polish
Random 4 Faces
Thickness 8.5 mm Category _ **2**








Black Diamond

Finish _ Polish Random **5 Faces**Thickness **8.5 mm**Category **2**



Infinity Nortstone Nero

Finish_**Polish** Random **4 Faces** Thickness **8.5 mm** Category **2**



Luxy Orsola Grey

Finish _ Polish Random **4 Faces**Thickness **8.5 mm**Category **2**



Luxy Orsola Bianco

Finish Polish
Random 4 Faces
Thickness 8.5 mm
Category 2





Infinity Nortstone Silver

Finish _ Polish Random **4 Faces** Thickness **8.5 mm** Category **2**





Infinity Nortstone Grey

Finish _ Polish Random_4 Faces
Thickness_8.5 mm Category_**2**





Infinity Almeria Sand

Finish_Polish
Random_4 Faces
Thickness_8.5 mm
Category_2





Finish_**Polish** Random_4 Faces
Thickness_8.5 mm Category_2





Luxy Onix Lapis

Finish _ Polish Random_6 Faces
Thickness_8.5 mm Category_**2**



Scan For 360° View

Oro Waves

Finish _ Polish Thickness _ **8.5 mm** Category_**3**





Oro Mint

Finish _ **Polish** Thickness _ **8.5 mm** Category_**3**





Oro Opera

Finish _ **Polish** Thickness _ **8.5 mm** Category _ **3**





Floor_**Dazz Lith Beige**Wall_**Luxy Speciale Aqua**





Oro Topaz

Finish Polish
Thickness 8.5 mm
Category 3



Dazz Praline Crema

Finish_Carving
Thickness_8.5 mm
Category_3





Dazz Lith Beige

Finish_Carving
Thickness_8.5 mm
Category_3



Dazz Cashmere Decor

Finish _ Carving
Thickness _ 8.5 mm
Category _ 3

NEW





Dazz Cashmere Grey

Finish_Carving
Thickness_8.5 mm
Category_3



Dazz Provence Decor

Finish_Carving
Thickness_8.5 mm
Category_3





Dazz Provence Beige


Finish _ Carving Thickness_8.5 mm Category **3**



Dazz Highland Decor

Finish _ Carving Thickness _ **8.5 mm** Category_**3**





Dazz Highland Grey

Finish _ Carving
Random _ 4 Faces
Thickness _ 8.5 mm Category _ **3**





Dazz Infinity Hermes Beige

Finish _ Carving
Random _ 4 Faces
Thickness _ 8.5 mm Category_**3**





Dazz Infinity Hermes Grey

Finish _ Carving
Random _ 4 Faces
Thickness _ 8.5 mm
Category _ 3





Dazz Infinity Rosso White

Finish_Carving Random_4 Faces
Thickness_8.5 mm Category_**3**





Winter Wind

Finish_Carving
Random_3 Faces
Thickness_8.5 mm
Category_3



Glacier White

Finish Carving
Random 4 Faces
Thickness 8.5 mm
Category 3





Alicante Taupe

Finish_Carving
Random_4 Faces
Thickness_8.5 mm Category_**3**



Alicante Crema



Finish _ Carving
Random _ 4 Faces
Thickness _ 8.5 mm Category_**3**



Acropolis Grey

Finish _ Carving Random **4 Faces** Thickness **8.5 mm** Category_**3**



Hardrock Beige

Finish _ Carving
Random _ 3 Faces
Thickness _ 8.5 mm Category_**3**







Spray Grey

Finish _ Carving
Random _ 3 Faces
Thickness _ 8.5 mm
Category _ 3



Finish Carving
Random 3 Faces
Thickness 8.5 mm
Category 3

Brown





Capraia White

Finish_Carving
Random_6 Faces
Thickness_8.5 mm
Category_3



Arron White

Finish_Carving
Random_4 Faces
Thickness_8.5 mm
Category_3






Dazz Austria Grey

Finish Carving
Random 4 Faces
Thickness 8.5 mm
Category 3



Dazz Austria White

Finish Carving
Random 4 Faces
Thickness 8.5 mm
Category 3








Floor_**No Skid Beige**

Expanse | Glazed Vitrified Tiles | 600x1200mm Expanse | Glazed Vitrified Tiles | 600x1200mm



Dazz Crush White

Finish Carving
Random 4 Faces
Thickness 8.5 mm
Category 3



Dazz Balkan White

Finish Carving
Random 4 Faces
Thickness 8.5 mm
Category 3





Dazz Higazy Beige

Finish _ Carving
Random _ 5 Faces
Thickness _ 8.5 mm Category _ **3**





Mandala Art Beige

Finish _ Carving
Random _ 2 Faces
Thickness _ 8.5 mm Category_**3**





Entra Silk

Finish_Silk
Random_2 Faces
Thickness_8.5 mm
Category_3





Silk

Finish_Silk
Random_3 Faces
Thickness_8.5 mm
Category_3





No Skid Beige

Finish_Anti Skid
Thickness_8.5 mm
Category_3



No Skid Grey

NEW

Finish _ Anti Skid
Thickness _ 8.5 mm
Category _ 3





Floor_No Skid Grey





Royal Touch Beige

Finish _ GHR
Random _ 4 Faces
Thickness _ 8.5 mm
Category _ 3



Royal Touch Beige Decor

NEW

Finish _ GHR
Random _ 4 Faces
Thickness _ 8.5 mm
Category _ 4

NEW





Royal Touch Coffee

Finish GHR
Random 4 Faces
Thickness 8.5 mm
Category 3



Royal Touch Coffee Decor

Finish_GHR
Random_4 Faces
Thickness_8.5 mm
Category_4

NEW





Royal Touch Grey

Finish _ **GHR**Random _ **4 Faces**Thickness _ **8.5 mm**Category _ **3**



Royal Touch Grey Decor

Finish _ GHR
Random _ 4 Faces
Thickness _ 8.5 mm
Category _ 4







Royal Touch Nero


Finish _ **GHR**Random _ **4 Faces**Thickness _ **8.5 mm**Category _ **3**



Royal Touch Nero Decor

Finish _ GHR
Random _ 4 Faces
Thickness _ 8.5 mm
Category _ 4





Dregon Brown

Finish _ Super High Gloss Random _ 4 Faces Thickness _ 8.5 mm Category _ 4



Nasa Black

Finish _ Super High Gloss Random _ 2 Faces Thickness _ 8.5 mm Category _ 4





Solomone Aqua

Finish _ Super High Gloss Random _ 5 Faces Thickness _ 8.5 mm Category _ 4



Gold Laurent


Finish _ Super High Gloss Random _ 3 Faces Thickness _ 8.5 mm Category _ 4











Jurassic Black

Finish _ Super High Gloss Random _ 3 Faces Thickness _ 8.5 mm Category _ 4



Desert Rose

Finish _ Super High Gloss Random _ 3 Faces Thickness _ 8.5 mm Category _ 4





Comet Grey

Finish _ High Gloss
Random _ 4 Faces
Thickness _ 8.5 mm
Category _ 4



Europa Black

Finish _ High Gloss Random _ 4 Faces Thickness _ 8.5 mm Category _ 4





Delicato White


Finish _ High Gloss Random _ 10 Faces Thickness _ 8.5 mm Category _ 4



Fabula White

Finish _ High Gloss Random _ 8 Faces Thickness _ 8.5 mm Category _ 4





Expanse | Glazed Vitrified Tiles | 600x1200mm Expanse | Glazed Vitrified Tiles | 600x1200mm



Space Black

Finish _ High Gloss Random _ 4 Faces Thickness _ 8.5 mm Category _ 4



Cocoa Brown

Finish_**High Gloss** Random _ 3 Faces Thickness _ **8.5 mm** Category **4**



Monotone Grey

Finish_**Matt** Thickness _ **8.5 mm** Category_**5**



Monotone Dove

Finish _ **Matt** Thickness _ **8.5 mm** Category_**5**





Winter White

Finish_**High Gloss** Thickness_**8.5 mm** Category **4**






Noir Grey

Finish_**High Gloss**Random_**3 Faces** Thickness _ **8.5 mm** Category **4**





Supreme Brown

Finish _ High Gloss Random _ 3 Faces Thickness _ 8.5 mm Category _ 4






Chocolate Brown

Finish_**High Gloss** Random **3 Faces** Thickness **8.5 mm** Category_**4**





Monotone Iris

Finish _ Matt Thickness _ **8.5 mm** Category_**5**



Monotone Ruby

Finish _ Matt Thickness _ **8.5 mm** Category_**5**





Monotone Brown

Finish_**Matt** Thickness _ **8.5 mm** Category_**5**



Monotone Amber

Finish _ **Matt** Thickness _ **8.5 mm** Category_**5**









Finish _ Matt
Thickness _ 8.5 mm
Category _ 5



Monotone Spring

Finish_Matt
Thickness_8.5 mm
Category_5





Golden Leaves

Finish _ **Super High Gloss** Thickness _ **8.5 mm** Category _ **6**



Absolute Black

Finish _ Super High Gloss Random _ 3 Faces Thickness _ 8.5 mm Category _ 6





Florida

Finish_Super High Gloss
Thickness_8.5 mm
Category_6



Persain Fiore

Finish_Super High Gloss
Thickness_8.5 mm
Category_6







Louise Blue

Finish _ High Gloss Random _ 8 Faces Thickness _ 8.5 mm Category _ 6



Kalima Blue

Finish _ High Gloss Random _ 3 Faces Thickness _ 8.5 mm Category _ 6





Barocco Blue

Finish _ High Gloss Random _ 5 Faces Thickness _ 8.5 mm Category _ 6



Tino Black

Finish_Super Gloss Random_4 Faces Thickness_8.5 mm Category_6







Cosmic Blue

Finish _ **High Gloss**Random _ **7 Faces**Thickness _ **8.5 mm**Category _ **6**



Eyezen Mint


Finish _ High Gloss Random _ 4 Faces Thickness _ 8.5 mm Category _ 6











Nebula Aqua

Finish _ High Gloss Random _ 8 Faces Thickness _ 8.5 mm Category _ 6



Finish_High Gloss Thickness_8.5 mm Category_6

NEW





Iron Rust


Finish_Metallic
Thickness_8.5 mm
Category_6





Finish Metallic
Thickness 8.5 mm
Category 6





Dazz Infinity Megna Black

Finish _ Carving
Random _ 4 Faces
Thickness _ 8.5 mm
Category _ 7







Floriana Decor

Finish Gloster
Thickness 8.5 mm
Category 7



Finish _ Gloster
Thickness _ 8.5 mm
Category _ 7



Orchid Decor





Pastel Grey Decor

Finish_Gloster
Thickness_8.5 mm
Category_7



Pastel Pink Decor

Finish _ Gloster
Thickness _ 8.5 mm
Category _ 7





Blossom Aqua Decor

Finish _ Gloster
Thickness _ 8.5 mm
Category _ 7





Finish Gloster
Thickness 8.5 mm
Category 7



EXPANSE PREMIO


The Expanse Premio by Hindware is also available in the versatile 600x1200mm format in classic Polish and exquisite Carving surface options. In this widely preferred size, the collection offers premium GVT design options ideal for flooring and wall cladding in all types of settings. Whether residential, commercial, or public, the tiles perform exceptionally well.



600x 1200mm

Available Surfaces

Polish / Carving









Danum Grey

Finish _ Matt Thickness _ **8.5 mm** Category **_1**



Mazda Brown

Finish _ **Matt** Random **4 Faces** Thickness **8.5 mm** Category_**1**





Mazda Beige

Finish _ Matt Thickness _ **8.5 mm** Category_**1**





Mazda Grey

Finish _ Matt Thickness _ **8.5 mm** Category_**1**





Donna Beige

Finish_Polish Random_4 Faces Thickness_8.5 mm Category_1





Donna Grey

Finish_**Polish** Random_**4 Faces**Thickness_**8.5 mm** Category $_{f 1}$





Eliot Onyx

Finish_Polish
Random_5 Faces
Thickness_8.5 mm
Category_1



Armada White

NEW

Finish Polish
Random 5 Faces
Thickness 8.5 mm
Category 1





Travertine Barun

Finish _ Polish Random_3 Faces
Thickness_8.5 mm Category_**1**



Michigan Beige

Finish _ Polish Random **4 Faces**Thickness **8.5 mm** Category_1





Michigan Grey

Finish_Polish
Random_4 Faces
Thickness_8.5 mm Category_**1**



Daisy Grey Decor

Finish _ **Polish** Thickness _ **8.5 mm** Category_**1**









Finish_Polish
Random_4 Faces
Thickness_8.5 mm
Category_1



Infinity Miler Beige

NEW

Finish Polish
Random 4 Faces
Thickness 8.5 mm
Category 1

NEW





Infinity Lastle Ivory

Finish_**Polish**Random_**4 Faces**Thickness_**8.5 mm** Category_**1**



Infinity Lastle Mocha

Finish _ Polish
Random _ 4 Faces
Thickness _ 8.5 mm Category_**1**

NEW





Infinity Villero Grey

Finish _ Polish
Random _ 5 Faces
Thickness _ 8.5 mm
Category _ 1



Infinity Richmond Crema

Finish Polish
Random 2 Faces
Thickness 8.5 mm Category_**1**











Infinity Richmond Grey

Finish_Polish Random_2 Faces Thickness_8.5 mm Category_1





Infinity Oracle Grey

Finish _ **Polish** Random **4 Faces** Thickness **8.5 mm** Category_**1**

NEW





Infinity Lucaso Silver

Finish _ Polish Random **5 Faces** Thickness _ **8.5 mm** Category _ 1





Infinity Paradise Beige

Finish _ Polish Random _ **4 Faces** Thickness _ **8.5 mm** Category_**1**





Infinity Arsido Bianco

Finish Polish
Random 4 Faces
Thickness 8.5 mm
Category 1





Blue

Finish _ **Polish** Random_**4 Faces**Thickness_**8.5 mm** Category_**1**





Infinity Coralito White

Finish _ Polish Random_O Faces Thickness_8.5 mm Category_1



Dazz Pinot Grey

Finish _ Carving Random_4 Faces
Thickness_8.5 mm
Category_2





Dazz Infinity Orwell Grey

Finish_Carving
Random_3 Faces
Thickness_8.5 mm Category **2**



Dazz Infinity Dodge Beige

Finish _ Carving
Random _ 4 Faces
Thickness _ 8.5 mm Category_**2**





Dazz Infinity Dodge White

Finish _ Carving Random_4 Faces
Thickness_8.5 mm Category_**2**



Dazz Nordic Blue

Finish _ Carving Random_6 Faces Thickness_8.5 mm Category_**2**



SOLIDS


Craft resilient and durable spaces with
Hindware's Solids range in the versatile
600x1200mm size and Full Body. The selection
of tiles offers size and functional surfaces for
utilitarian outdoor and elegant indoor spaces.
The range is available in luxurious Polish and
resilient Matt and Rustic surfaces.



600x 1200mm

Available Surfaces

Polish / Matt Rustic




Solids | Fullbody Vitrified Tiles | 600x1200mm



Cialo Gris

Finish Matt
Thickness 8.7 mm
Category 1



Cialo Granite

Finish_Matt
Thickness_8.7 mm
Category_1







Cialo Lux

Finish_Matt
Thickness_8.7 mm
Category_1





Cialo Beige

Finish_Matt
Thickness_8.7 mm
Category_1





Durban Gris

Finish _ Matt Thickness _ 8.7 mm Category _ 1



Grigio

Finish_Matt
Thickness_8.7 mm
Category_1





Durban Kota

Finish_Matt
Thickness_8.7 mm
Category_1




Scan For 360° View

Zurich Gris

Finish_Rustic
Thickness_8.7 mm
Category_1



Scan For 360° Vie



Zurich Grigio

Finish_Rustic
Thickness_8.7 mm
Category_1





Zurich Cremo

Finish _ **Rustic**Thickness _ **8.7 mm**Category _ **1**



Scan For 360° Vie





Cialo Beige

Finish Polish
Thickness 8.7 mm
Category 2



Cialo Gris

Finish_Polish
Thickness_8.7 mm
Category_2





Cialo Granite

Finish_Polish
Thickness_8.7 mm
Category_2



Cialo Lux

Finish Polish
Thickness 8.7 mm
Category 2



Durban Cremo

Finish Polish
Thickness 8.7 mm
Category 2



Solids | Fullbody Vitrified Tiles | 600x1200mm



Cialo Sand

Finish Polish
Thickness 8.7 mm
Category 3



Cialo Nero

Finish_Matt
Thickness_8.7 mm
Category_3







Durban Umber

Finish Matt
Thickness 8.7 mm
Category 3





Cialo Sand

Finish _ Matt Thickness _ 8.7 mm Category _ 3





Cialo White

Finish _ Polish
Thickness _ 8.7 mm
Category _ 3





Durban Mango

Finish _ Matt
Thickness _ 8.7 mm
Category _ 4



Durban Nero

Finish _ Matt
Thickness _ 8.7 mm
Category _ 4



Scan For 360° View



Durban Mango

Finish _ Polish
Thickness _ 8.7 mm
Category _ 5



Zurich Coal

Finish_Rustic
Thickness_8.7 mm
Category_5



SQUARES


The Squares from Hindware offer the widely used 600x600mm tile format in a timeless style and surface options apt for a number of applications because of its small and equalsided size. The GVT range is a go-to solution for wall and floor tiling in bedrooms, bathrooms, and living rooms. It is available in Polish and Matt surfaces.



600x 600mm

Available Surfaces

Polish / Matt







Macaubas Blue

Finish Polish
Random 5 Faces
Thickness 8.5 mm
Category 1





Tozetto

Finish_Polish
Thickness_8.5 mm
Category_1





Napoleano Brown

Finish _ Polish
Random _ 4 Faces
Thickness _ 8.5 mm
Category _ 1





Praline Silver

Finish_Polish
Random_3 Faces
Thickness_8.5 mm
Category_1





Finish_Polish
Random_4 Faces
Thickness_8.5 mm
Category_1



Inifinity Astrus Grey

Finish _ Polish
Random _ 4 Faces
Thickness _ 8.5 mm
Category _ 1





Inifinity Delicato Statuario

Finish_Polish
Random_3 Faces
Thickness_8.5 mm
Category_1





Inifinity Zebrino Beige

Finish Polish
Random 5 Faces
Thickness 8.5 mm
Category 1





Corcia Beige

Finish Polish
Random 4 Faces
Thickness 8.5 mm
Category 1





Floor_**Smokey Mocha**Wall_**3D Waves**

Squares | Glazed Vitrified Tiles | 600x600mm Squares | Glazed Vitrified Tiles | 600x600mm



3D Flora

Finish Polish
Thickness 8.5 mm
Category 1



3D Waves


Finish Polish
Thickness 8.5 mm
Category 1



Lotus

Finish Polish
Thickness 8.5 mm
Category 1







Veino Beige

Finish Polish
Random 4 Faces
Thickness 8.5 mm
Category 1





3D Cubes

Finish_Polish
Thickness_8.5 mm
Category_1



Bm Mortis White

Finish _ Polish
Thickness _ 8.5 mm
Category _ 1





Andre White

Amoris

Creama

Finish _ **Polish**

Category **1**

Thickness _ **8.5 mm**

Finish Polish Random **4 Faces** Thickness **8.5 mm** Category_**1**



Blue




Finish _ Polish Thickness _ 8.5 mm Category_1



Bm Rois

Finish _ Polish Thickness_8.5 mm



White

Category_**1**



Finish_**Polish** Thickness _ **8.5 mm** Category_**1**

Pristine


White



Dream White

Finish _ Polish
Random _ 4 Faces
Thickness _ 8.5 mm
Category _ 1






Squares | Glazed Vitrified Tiles | 600x600mm Squares | Glazed Vitrified Tiles | 600x600mm



Neptune Grey

Finish _ Polish
Random _ 4 Faces
Thickness _ 8.5 mm Category_**1**



Denso Grey


Finish _ Polish
Random _ 3 Faces
Thickness _ 8.5 mm Category_**1**



Denso Peral

Finish _ Polish
Random _ 3 Faces
Thickness _ 8.5 mm Category_1





Colorado Bronze

Finish Polish Random _ **4 Faces** Thickness_8.5 mm Category_**1**





Onyx Ivory

Finish Polish Thickness _ 8.5 mm Category_**1**







Madrid





Beachwood Cream

Finish _ **Polish** Random_3 Faces
Thickness_8.5 mm
Category_1





Finish _ Polish Random $_3$ Faces Thickness $_$ **8.5 mm** Category_**1**



Finish _ Polish Random **4 Faces** Thickness **8.5 mm** Category_**1**

Creek

Grey





Oman Cream

Finish _ Polish
Random _ 4 Faces
Thickness _ 8.5 mm Category_**1**



Finish_Polish
Random_4 Faces
Thickness_8.5 mm Category_1

Nazca

Slate



Canyon Cream

Finish_Polish
Random_3 Faces
Thickness_8.5 mm Category_**1**







Cloud Grey

Finish Polish Random **_ 6 Faces** Thickness _ **8.5 mm** Category_**1**





Finish_**Matt** Random _ 2 Faces Thickness_8.5 mm Category_**1**





Finish Matt Random _ **4 Faces** Thickness_8.5 mm Category_**1**






Ajax Wood Brown

Finish _ **Matt** Random **3 Faces** Thickness **8.5 mm** Category **1**





Finish_Matt Random $_3$ Faces Thickness $_$ **8.5 mm** Category_**1**



Brown


Finish _ **Matt** Thickness_8.5 mm Category_**1**







Squares | Glazed Vitrified Tiles | 600x600mm Squares | Glazed Vitrified Tiles | 600x600mm



Mercurial Decor

Finish Polish
Thickness 8.5 mm
Category 1



Aura Decor White

Finish _ Polish
Thickness _ 8.5 mm
Category _ 1



Mystic Blue

Finish_Polish
Thickness_8.5 mm
Category_1





Mystic Decor White

Finish _ Polish Thickness _ **8.5 mm** Category _ 1





Karpit Crema

Finish Polish Random_4 Faces
Thickness_8.5 mm Category_**1**





Finish Polish Random **4 Faces** Thickness **8.5 mm** Category_**1**

Trendy

White





Trendy White Decor

Finish _ **Polish** Random_4 Faces
Thickness_8.5 mm
Category_1






Nero Silver **Light Grey**

Finish _ Matt Random _ 3 Faces
Thickness _ 8.5 mm
Category _ Silver



Finish _ Matt Random _ 3 Faces
Thickness _ 8.5 mm
Category _ Silver





Angel Dust

Finish Polish
Thickness 8.5 mm
Category 1













Finish_Polish
Random_4 Faces
Thickness_8.5 mm Category_**1**



Cream





Vienna Beige

Finish Matt Thickness _ 8.5 mm Category_**1**





Finish_**Matt** Thickness _ **8.5 mm** Category_1





Finish Matt Random_2 Faces
Thickness_8.5 mm Category_**1**





Bianco Storm Grey

Finish _ **Matt** Random **3 Faces** Thickness **8.5 mm** Category **1**



SOLIDS


In easy-to-clad size, the Solids are available in 600x600mm and have multiple surfaces for luxurious and functional spaces. The Full Body range offers Polish, Matt, and Rustic surface options to accommodate various preferences and allow your spaces to resonate with your vision. The range is also ideal for all types of settings.




600x 600mm

Available Surfaces

Polish / Matt Rustic







Kialo Beige


Finish _ Matt
Thickness _ 8.6 mm
Category _ 1



Kialo Granite

Finish Matt
Thickness 8.6 mm
Category 1


NEW



Kialo Granite

Finish _ **Rustic**Thickness _ **8.6 mm**Category _**1**





Rockland Kota

Finish _ Matt Thickness _ **8.6 mm** Category **1**



Kialo Metallo

NEW

Finish **Matt**Thickness **8.6 mm** Category_**1**



Kialo Gris

Finish_**Matt**Thickness_**8.6** mm Category_**1**

NEW






Pro Arena White

Finish _ **Polish** Thickness **_ 8.6 mm**Category **_ 1**





Pro Arena White

Finish_Matt
Thickness_8.6 mm
Category_1



Pro Arena Beige

Finish _ Polish
Thickness _ 8.6 mm
Category _ 2





Solids | Fullbody Vitrified Tiles | 600x600mm Solids | Fullbody Vitrified Tiles | 600x600mm



Pro Arena Beige

Finish_Matt
Thickness_8.6 mm
Category_2



Pro Arena Crema


Finish _ Polish
Thickness _ 8.6 mm
Category _ 2




Pro Arena Crema

Finish Matt
Thickness 8.6 mm
Category 2







Floor _ Pro Arena Grey



Pro Arena Grey

Finish Polish
Thickness 8.6 mm
Category 2





Pro Arena Grey

NEW

Finish_Matt
Thickness_8.6 mm
Category_2



Rockland Grigio

Finish_Rustic
Thickness_8.6 mm
Category_2



Solids | Fullbody Vitrified Tiles | 600x600mm Solids | Fullbody Vitrified Tiles | 600x600mm



Rockland Kota

Finish _ **Rustic**Thickness _**8.6** mm
Category _**2**



Rockland Cremo

Finish _ **Rustic**Thickness _ **8.6 mm**Category _ **2**



Rockland Gris

Finish _ **Rustic**Thickness _ **8.6 mm**Category _ **2**







Kialo Beige

Finish Polish
Thickness 8.6 mm
Category 3




Kialo Granite

Finish _ Polish Thickness_**8.6 mm** Category_**3**



Finish_Matt
Thickness_8.6 mm Category_**3**



Kialo Nero



Finish _ **Rustic** Thickness _ **8.6 mm**Category _ **3**

Kialo

Nero





Sand

Finish _ Matt Thickness _ 8.6 mm Category _ 3



Kialo Sand

Finish_Rustic
Thickness_8.6 mm
Category_3







Kialo Gris

Finish Polish
Thickness 8.6 mm
Category 3



Kialo Nero

Finish Polish
Thickness 8.6 mm
Category 4



Kialo Sand

Finish Polish
Thickness 8.6 mm
Category 4







PLANKS

For homeowners and designers looking for an eco-conscious alternative, the Planks are a sustainable solution with their wood and modern decor aesthetics. The 200x1200mm size and wood-looking aesthetics offer solutions that look like wood with less maintenance due to the ceramic build. The GVT range is available in Matt and Rustic surfaces.



200x 1200mm

Available Surfaces

Matt \ Rustic







Wall_**Acacia Beige**Floor_**River Birch**







Maple Wood Beige

Finish _ Matt
Random _ 7 Faces
Thickness _ 9 mm
Category _ 1









River Birch

Finish_Matt
Random_5 Faces
Thickness_9 mm
Category_1









Sugraberry Beige

Finish_Matt
Random_4 Faces
Thickness_9 mm
Category_1



Planks | Glazed Vitrified Tiles | 200x1200mm







Larch Creme

Finish_Matt
Random_4 Faces
Thickness_9 mm
Category_1









Red Cedar

Finish_Matt
Random_5 Faces
Thickness_9 mm
Category_1









Heritage Wood Grey

Finish _ **Rustic**Random _ **7 Faces**Thickness _ **9 mm**Category _ **1**









Danish Wood Honey

Finish_Rustic
Random_7 Faces
Thickness_9 mm
Category_1









Danish Wood Brown

Finish_Rustic
Random_7 Faces
Thickness_9 mm
Category_1










Crazy Wood

Finish_Rustic
Random_7 Faces
Thickness_9 mm
Category_1











Maple Wood Coffee

Finish _ Rustic Random _ 7 Faces Thickness _ 9 mm Category _ 1









Apple Brown

Finish_Rustic
Random_5 Faces
Thickness_9 mm
Category_1









Black Walnut

Finish_Rustic
Random_10 Faces
Thickness_9 mm
Category_1





Wall _ **Texas Ash**Floor _ **Silver Maple**

Planks | Glazed Vitrified Tiles | 200x1200mm







Pinus Beige

Finish _ **Rustic**Random _ **5 Faces**Thickness _ **9 mm**Category _ **1**









Silver Maple

Finish _ Rustic Random _ 7 Faces Thickness _ 9 mm Category _ 1









Texas Ash

Finish _ **Rustic**Random _ **5 Faces**Thickness _ **9 mm**Category _ **1**









Acacia Beige

Finish_Rustic
Random_5 Faces
Thickness_9 mm
Category_1









Brown Spruce

Finish_Rustic
Random_6 Faces
Thickness_9 mm
Category_1









Hazel Brown

Finish_Rustic
Random_5 Faces
Thickness_9 mm
Category_1



PARKING & DECOR

Compact and crafty, the Parking and Decor in the GVT category by Hindware is a robust, functional, and aesthetic solution available in the smallest size of 200x200mm. Parking tiles are load and weather-resistant solutions, while Decor brings Moroccan, classic, and traditional designs to the collection.



200x 200mm

Available SurfacesRustic \ Matt









Royale Aqua Decor

Finish _ Matt Thickness_8 mm Category_**2**



Royale Brown Decor

Finish _ Matt Thickness_8 mm Category_**2**



Royale Silver Decor

Finish _ Matt Thickness_8 mm Category_**2**



NEW

Royale Grey Decor

 $\mathsf{Finish}\,_\,\mathbf{Matt}$ Thickness_8 mm Category_**2**



Scan For 360° View



Finish _ **Matt** Thickness ${\tt _8\,mm}$ Category_**2**





 $\mathsf{Finish}\,_\,\mathbf{Matt}$ $Thickness_{\bf 8}~{\bf mm}$ Category_**2**





Royale Gris Decor

Finish _ Matt Thickness_8 mm Category_2






Royale White Decor

Finish _ Matt Thickness_8 mm Category_2



Finish _ **Matt** Thickness_8 mm Category_2







Artico Beige

Finish_**Rustic** Thickness _ 12 mm
Category _ 1



Artico Choco

NEW

Finish _ Rustic Thickness _ 12 mm Category _ 1



Artico Nero

Finish_Rustic
Thickness_12 mm
Category_1

NEW





Artico Grey

Finish _ **Rustic**Thickness _ **12 mm**Category _ **1**





Finish _ **Rustic**Thickness _ **12 mm**Category _ **1**



Artico Cotto

Finish _ **Rustic**Thickness _ **12 mm**Category _ **1**





Artico Terra

Finish _ **Rustic** Thickness _ **12 mm** Category_**1**





Finish _ **Rustic**Thickness _ **12 mm**Category _ **1**







Discover high-performance tile adhesives, available in grey and white colors. Besides these, explore our cementitious grout, tile cleaner, premium epoxy grout, and grout admixture. All these available formulations are for superior bonding, ensuring tiles stay firmly in place.



Rx100 - GREY

RX200 - GREY


RX300 - WHITE

RX400 - WHITE

Rx500 - GREY

EPOXY GROUT

CEMENTITIOUS GROUT



ADHESIVE & GROUTS

ADHESIVE & GROUTS



TILE ADHESIVE

Ø -----

0-----

RX100

Color - Grey | Type - 1 C1T | Pack Size - 20kg & 25kg

• Application: For all kinds of Ceramic Wall & Floor Tiles in internal applications.

•Open Time: 20 min. approx. • Pot Life: 1.5-2 hrs Approx.

• Adjustability: 20 minutes Approx. • Density: 1.8 g/cm³



RX200

Color - Grey | Type - 2 C2T | Pack Size - 20kg & 25kg

• Application: For all kinds of Ceramic & Vitrified Tiles in Interior on wall & floor applications & in exterior on floor applications.

• Open Time: 20 min. approx. • Pot Life: 1.5-2 hrs Approx.

• Adjustability: 20 minutes Approx. • Density: 1.78 g/cm3



RX300

Color - White | Type - 1 C1T | Pack Size - 20kg & 25kg

• Application: For all kinds of Ceramic Wall & Floor Tiles in internal applications.

• Open Time: 20 min. approx. • Pot Life: 1.5-2 hrs Approx.

• Adjustability: 20 minutes Approx. • Density: 1.8 g/cm³



MIUM EPOXY GROU

0 0

EPOXY GROUT

Hindware Premium Epoxy Grout is a stain-free grout for floors & walls. It is non - shrinking, non-sagging, fast-curing efflorescence free grout, ideal for installation where high strength meld and dew-resistant grout joints are required.

Pack Size: 1kg & 5kg

Shelf Life:

Best before 12 months from manufacturing date in dry unopen bag.

Wet as well as dry areas. Not for sun exposed areas. Suitable to: Ceramic Tiles, Vitrified Tiles, Stones & Marbles



Hindware Cementitious Grout is a superior quality grout. It consists of a carefully prepared blend of cement, chemical additives, and fillers. It is easy to install where you just need to mix it with Grout Admix or water and use. It is ideal for both floors and wall applications. This grout is suitable for joints between 1 mm to 3 mm.

Pack Size: 1kg (Carton of 10 pcs. | 10kg)

Advantage

- Water resistant
- Smooth finish
- Easy maintenance Non-cracking
- Non-shrinking Easy application and
- Available in a range of colours

GROUT ADMIX

Hindware Grout Admix is a polymer based; liquid admixture specially designed for use in combination with Hindware Superior Grouts. This is ideal for all interior and exterior applications. It improves the performance and does not allow any moisture/water to seep into the back of the tile. It also increases the flexibility and high compression strength of cement grout for all types of ceramic tiles, vitrified tiles, glass mosaic tiles, marble, granite, and natural stones

Pack Size: 400 ml (Carton of 10 pcs. | 4000ml)

Features

- It rocks the grout into the joint. Frout and seal in one step
- Low VOC formula
- Features water repellent
- ▶ Seals, protects and strengthens grout Same stain resistance as most



RX400

Color - White | Type - 2 C2T | Pack Size - 20kg & 25kg

• Application: For all kinds of Ceramic & Vitrified Tiles in Interior on wall & floor applications & in exterior on floor applications.

• Open Time: 20 min. approx. • Pot Life: 1.5-2 hrs Approx.

• Adjustability: 20 minutes Approx. • Density: 1.79 g/cm3



TILE CLEANER

Hindware Tile Cleaner is a fast acting, acid-based powerful cleaner for daily maintenance of tiles surfaces. It can also be used as a general-purpose cleaner on acid resistant surfaces to remove cementitious grout, adhesive residues, hard water deposits and other hard stains from all ceramic/vitrified tiles and sanitaryware. It is best used to clean wall tiles, floor tiles, mosaics & sanitaryware.

Pack Size: 1000ml (Carton of 10 bottles | 10000ml)

- For ceramic & vitrified tiles
- Removes tough stains.
- Use directly or add water



Anti Germs & Anti Stains



RX500 - GREY

Color - Grey | Type - 3 C2T | Pack Size - 20kg & 25kg

• Application: For all kinds of Ceramic & Vitrified Tiles in Exterior & Interior on wall & floor applications. Not recommended for height above 30ft & tile size bigger than 45x90 cm.

• Open Time: 20 min. approx. • Pot Life: 1.5-2 hrs Approx.


• Adjustability: 20 minutes Approx. • Density: 1.77 g/cm3

ADHESIVE & GROUTS

ADHESIVE & GROUTS




COLOUR RANGE



Note: Colours shown are for indication purpose only, variation may occur.





COVERAGE ESTIMATE

EPOXY GROUT

(A+B) X C X D X Wd Kg A X B M²

A = Legnth of the Tile, B = Breadth of the Tile, C = Thickness of the Tile, D = Space between two tiles, Wet Density (Wd) = 1.70 ± 0.05

Note: All the dimensions are in Millimeter (mm)


NOTE: Coverage shown above are approximate and are given for estimating purposes only. Actual job site coverage may vary. Please take 10%-15% additional material for wastage, spillage and application conditions.



Quartz /3150x1450 mm / 3225x 1625 mm

Property	Results	Method
Water Absorption	<0.05%	ASTM C97-09
MOH's Hardness	6.5-7	MOH'S Hardness Scale
Thermal Shock	No Damage Passed 5 Cycles	ASTM C484
Compressive Strength	24000 Psi	ASTM C170
Flexural Strength	8500-9000 Psi	ASTM C880
Moisture Absorption	Negligible	ASTM C97
Abrasion Resistance	21.5 mm	ASTM C1253
Density	2.4 g/cm ³	ASTM C373
Cigarette Test	Unaffected	ANSI Z124.6
Stain Resistance	Unaffected	ANSI Z124.6
Bond Strength	205 Psi	ASTM C482
Wear Resistance	Unaffected	ANSI Z124.6
Thermal Expansion	2.5 X 10 ⁻⁵ in/f	ASTM C531
Chemical Resistance	Unaffected	ASTM C650
De-Icing Resistance	Unaffected	ASTM C672
Freeze-Thaw Resistance	No Damage, Passed 15 Cycles	ASTM C1026
Surface Burning Characteristics	17 (Class A/1 Rating)	ASTM E84

PACKING DETAILS						
DIMENSION (MAA)	BOX					
DIMENSION (MM)	Tiles/Box Coverage/Box(SqFt.) Coverage/Box(Sq-Mtrs.) Thic					
3150x1450 mm	1	49.16	4.57	15 mm		
	·	.5110		20 mm		
3225x 1625 mm	1	56.41	5.24	20 mm		



Novo Slabs GVT / 1200 X 2400 mm

CHARACTERISTICS	TEST METHOD	IS 15622:2017 GROUP - B Ia - REQUIREMENTS	OUR VALUE			
DIMENSION & SURFACE QUALITY						
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.10%	± 0.10%			
Deviation in Thickness (%)	IS 13630 Part-1	± 5.0%	± 4.0%			
Straightness of Sides (%)	IS 13630 Part-1	± 0.10%	± 0.10%			
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.10%	± 0.10%			
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.2%			
Surface Quality (%)	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects			
PHYSICAL PROPERTIES						
Water Absorption	IS 13630 Part-2	Avg.≤ 0.08 %, Ind-0.1 %	Avg.≤ 0.06 %			
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm², Ind32 N/mm²	Avg. 38 N/mm²			
Breaking strength	IS 13630 Part-6	Thickness< 7.5mm -700N Thickness≥ 7.5mm-1300N	Min. 1500N			
Resistance to Surface Abrasion (Glazed Tiles) (PEI groups II III IV V)	IS 13630 Part-11	Min. Class II	Class III-V			
MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5			
Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2			
Moisture Expansion	IS 13630 Part-3	0.02mm/m	< 0.02 mm/m			
Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min			
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	Passed			
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	Passed			
Frost Resistance	IS 13630 Part-10	Resistant	No damage			
Co-Efficient of Linear Thermal Expansion	IS 13630 Part-4	6X10 ⁻⁶ K ⁻¹ Max.	5X10 ⁻⁶ K ⁻¹ Max.			
CHEMICAL PROPERTIES						
Resistance to Household Chemicals	IS 13630 Part-8	Min, AA	Min. AA			
Resistance to Stain	IS 13630 Part-8	Min, Class 1	Class I, Min.			

PACKING DETAILS						
DIMENSION (MAM)	BOX					
DIMENSION (MM)	Tiles/Box Coverage/Box(SqFt.) Coverage/Box(Sq-Mtrs.) Thickness					
1200x2400	1 31 2.88 9.0 mm					



Alteza Full Body / 800 X 2400 mm

CHARACTERISTICS	TEST METHOD	IS 15622:2017 GROUP - B la - REQUIREMENTS	OUR VALUE
DIMENSION & SURFACE QUALITY			
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Deviation in Thickness (%)	IS 13630 Part-1	± 5.0%	± 4.0%
Straightness of Sides (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.2%
Surface Quality (%)	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
PHYSICAL PROPERTIES			
Water Absorption	IS 13630 Part-2	Avg.≤ 0.08 %, Ind-0.1 %	Avg.≤ 0.06 %
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm², Ind32 N/mm²	Avg. 38 N/mm²
Breaking strength	IS 13630 Part-6	Thickness< 7.5mm -700N Thickness≥ 7.5mm-1300N	Min. 5800N
Resistance to Deep Abrasion (Unglazed Tiles)	IS 13630 Part-12	140, Max.	130, Max.
MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2
Moisture Expansion	IS 13630 Part-3	0,02mm/m	< 0.02 mm/m
Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
Crazing Resistance	IS 13630 Part-9	NA	NA
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	Passed
Frost Resistance	IS 13630 Part-10	Resistant	No damage
Co-Efficient of Linear Thermal Expansion	IS 13630 Part-4	6X10 ⁻⁶ K ⁻¹ Max.	5X10 ⁻⁶ K ⁻¹ Max.
CHEMICAL PROPERTIES			
Resistance to Household Chemicals	IS 13630 Part-8	Min, AA	Min. AA
Resistance to Stain	IS 13630 Part-8	Min, Class 1	Class I, Min.

PACKING DETAILS						
DIMENSION (MM)	BOX					
DIMENSION (MIM)	Tiles/Box Coverage/Box(SqFt.) Coverage/Box(SqMtrs.) Thickness					
800 x 2400	1	20.67	1.92	15 mm		

Alteza GVT / 800 X 2400 mm

CHARACTERISTICS	TEST METHOD	IS 15622:2017 GROUP - B Ia - REQUIREMENTS	OUR VALUE		
DIMENSION & SURFACE QUALITY					
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.10%	± 0.10%		
Deviation in Thickness (%)	IS 13630 Part-1	± 5,0%	± 4.0%		
Straightness of Sides (%)	IS 13630 Part-1	± 0.10%	± 0.10%		
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.10%	± 0.10%		
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.2%		
Surface Quality (%)	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects		
PHYSICAL PROPERTIES					
Water Absorption	IS 13630 Part-2	Avg.≤ 0.08 %, Ind-0.1 %	Avg.≤ 0.06 %		
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm², Ind32 N/mm²	Avg. 38 N/mm²		
Breaking strength	IS 13630 Part-6	Thickness< 7.5mm -700N Thickness≥ 7.5mm-1300N	Min. 5800N		
Resistance to Surface Abrasion (Glazed Tiles) (PEI groups II III IV V)	IS 13630 Part-11	Min. Class II	Class III-V		
MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5		
Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2		
Moisture Expansion	IS 13630 Part-3	0,02mm/m	< 0.02 mm/m		
Impact Resistance (COR)	IS 13630 Part-14	0,55 Min.	0.55 Min		
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	Passed		
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	Passed		
Frost Resistance	IS 13630 Part-10	Resistant	No damage		
Co-Efficient of Linear Thermal Expansion	IS 13630 Part-4	6X10 ⁻⁶ K ⁻¹ Max.	5X10 ⁻⁶ K ⁻¹ Max.		
CHEMICAL PROPERTIES					
Resistance to Household Chemicals	IS 13630 Part-8	Min, AA	Min. AA		
Resistance to Stain	IS 13630 Part-8	Min. Class 1	Class I, Min.		

PACKING DETAILS						
DIMENICIONI (MM)	BOX					
DIMENSION (MM)	Tiles/Box Coverage/Box(SqFt.) Coverage/Box(Sq-Mtrs.) Thickness					
800 x 2400	1	20.67	1.92	15 mm		



Novo Magna Slabs / Alteza GVT 1200 X 1800 mm

CHARACTERISTICS	TEST METHOD	IS 15622:2017 GROUP - B Ia - REQUIREMENTS	OUR VALUE			
DIMENSION & SURFACE QUALITY						
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.10%	± 0.10%			
Deviation in Thickness (%)	IS 13630 Part-1	± 5.0%	± 4.0%			
Straightness of Sides (%)	IS 13630 Part-1	± 0.10%	± 0.10%			
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.10%	± 0.10%			
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.2%			
Surface Quality (%)	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects			
PHYSICAL PROPERTIES						
Water Absorption	IS 13630 Part-2	Avg.≤ 0.08 %, Ind-0.1 %	Avg.≤ 0.06 %			
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm², Ind32 N/mm²	Avg. 38 N/mm²			
Breaking strength	IS 13630 Part-6	Thickness< 7.5mm -700N Thickness≥ 7.5mm-1300N	Min. 6000N			
Resistance to Surface Abrasion (Glazed Tiles) (PEI groups II III IV V)	IS 13630 Part-11	Min. Class II	Class III-V			
MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5			
Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2			
Moisture Expansion	IS 13630 Part-3	0,02mm/m	< 0.02 mm/m			
Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min			
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	Passed			
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	Passed			
Frost Resistance	IS 13630 Part-10	Resistant	No damage			
Co-Efficient of Linear Thermal Expansion	IS 13630 Part-4	6X10 ⁻⁶ K ⁻¹ Max.	5X10 ⁻⁶ K ⁻¹ Max.			
CHEMICAL PROPERTIES						
Resistance to Household Chemicals	IS 13630 Part-8	Min, AA	Min. AA			
Resistance to Stain	IS 13630 Part-8	Min. Class 1	Class I, Min.			

PACKING DETAILS						
DIMENSION (MAM)		ВС	X			
DIMENSION (MM)	Tiles/Box	Coverage/Box(SqFt.)	Coverage/Box(Sq-Mtrs.)	Thickness		
1200x1800	2	46.50	4.31	9 mm		
1200x1800 (Alteza)	1	23.25	2.16	15 mm		

Novo Mini Slabs GVT /800 X 1600 mm

CHARACTERISTICS	TEST METHOD	IS 15622:2017 GROUP - B la - REQUIREMENTS	OUR VALUE		
DIMENSION & SURFACE QUALITY					
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.10%	± 0.10%		
Deviation in Thickness (%)	IS 13630 Part-1	± 5,0%	± 4.0%		
Straightness of Sides (%)	IS 13630 Part-1	± 0.10%	± 0.10%		
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.10%	± 0.10%		
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.2%		
Surface Quality (%)	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects		
PHYSICAL PROPERTIES					
Water Absorption	IS 13630 Part-2	Avg.≤ 0.08 %, Ind-0.1 %	Avg.≤ 0.06 %		
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm², Ind32 N/mm²	Avg. 38 N/mm ²		
Breaking strength	IS 13630 Part-6	Thickness< 7.5mm -700N Thickness≥ 7.5mm-1300N	Min. 1600N		
Resistance to Surface Abrasion (Glazed Tiles) (PEI groups II III IV V)	IS 13630 Part-11	Min. Class II	Class III-V		
MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5		
Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2		
Moisture Expansion	IS 13630 Part-3	0.02mm/m	< 0.02 mm/m		
Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min		
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	Passed		
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	Passed		
Frost Resistance	IS 13630 Part-10	Resistant	No damage		
Co-Efficient of Linear Thermal Expansion	IS 13630 Part-4	6X10 ⁻⁶ K ⁻¹ Max.	5X10 ⁻⁶ K ⁻¹ Max.		
CHEMICAL PROPERTIES					
Resistance to Household Chemicals	IS 13630 Part-8	Min, AA	Min. AA		
Resistance to Stain	IS 13630 Part-8	Min. Class 1	Class I, Min.		

PACKING DETAILS						
DIMENSION (MM)	BOX					
DIMENSION (MM)	Tiles/Box	Coverage/Box(SqFt.)	Coverage/Box(Sq-Mtrs.)	Thickness		
800x1600 (Regular & Premio)	2	27.56	2.56	9mm		



Expanse & Premio GVT / 600 X 1200 mm Square GVT / 600 X 600 mm

CHARACTERISTICS	TEST METHOD	IS 15622:2017 GROUP - B Ia - REQUIREMENTS	OUR VALUE		
DIMENSION & SURFACE QUALITY					
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.10%	± 0.10%		
Deviation in Thickness (%)	IS 13630 Part-1	± 5.0%	± 4.0%		
Straightness of Sides (%)	IS 13630 Part-1	± 0.10%	± 0.10%		
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.10%	± 0.10%		
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.2%		
Surface Quality (%)	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects		
PHYSICAL PROPERTIES					
Water Absorption	IS 13630 Part-2	Avg.≤ 0.08 %, Ind-0.1 %	Avg.≤ 0.06 %		
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm², Ind32 N/mm²	Avg. 38 N/mm²		
Breaking strength	IS 13630 Part-6	Thickness< 7.5mm -700N Thickness≥ 7.5mm-1300N	Min. 1500N		
Resistance to Surface Abrasion (Glazed Tiles) (PEI groups II III IV V)	IS 13630 Part-11	Min. Class II	Class III-V		
MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5		
Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2		
Moisture Expansion	IS 13630 Part-3	0,02mm/m	< 0.02 mm/m		
Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min		
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	Passed		
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	Passed		
Frost Resistance	IS 13630 Part-10	Resistant	No damage		
Co-Efficient of Linear Thermal Expansion	IS 13630 Part-4	6X10 ⁻⁶ K ⁻¹ Max.	5X10 ⁻⁶ K ⁻¹ Max.		
CHEMICAL PROPERTIES					
Resistance to Household Chemicals	IS 13630 Part-8	Min, AA	Min. AA		
Resistance to Stain	IS 13630 Part-8	Min, Class 1	Class I, Min.		

PACKING DETAILS					
BOX					
DIMENSION (MM)	Tiles/Box	Coverage/Box(SqFt.)	Coverage/Box(Sq-Mtrs.)	Thickness	
600x1200 (Expanse & Premio Series)	2	15.50	1.44	8.5 mm	
600x600 (Square GVT)	4	15.50	1.44	8.5 mm	

GVT Planks / 200 X 1200 mm

CHARACTERISTICS	TEST METHOD	IS 15622:2017 GROUP - B la - REQUIREMENTS	OUR VALUE		
DIMENSION & SURFACE QUALITY					
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.10%	± 0.10%		
Deviation in Thickness (%)	IS 13630 Part-1	± 5.0%	± 4.0%		
Straightness of Sides (%)	IS 13630 Part-1	± 0.10%	± 0.10%		
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.10%	± 0.10%		
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.2%		
Surface Quality (%)	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects		
PHYSICAL PROPERTIES					
Water Absorption	IS 13630 Part-2	Avg.≤ 0.08 %, Ind-0.1 %	Avg.≤ 0.06 %		
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm², Ind32 N/mm²	Avg. 38 N/mm²		
Breaking strength	IS 13630 Part-6	Thickness< 7.5mm -700N Thickness≥ 7.5mm-1300N	Min. 1400N		
Resistance to Surface Abrasion (Glazed Tiles) (PEI groups II III IV V)	IS 13630 Part-11	Min. Class II	Class III-V		
MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5		
Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2		
Moisture Expansion	IS 13630 Part-3	0.02mm/m	< 0.02 mm/m		
Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min		
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	Passed		
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	Passed		
Frost Resistance	IS 13630 Part-10	Resistant	No damage		
Co-Efficient of Linear Thermal Expansion	IS 13630 Part-4	6X10 ⁻⁶ K ⁻¹ Max.	5X10 ⁻⁶ K ⁻¹ Max.		
CHEMICAL PROPERTIES					
Resistance to Household Chemicals	IS 13630 Part-8	Min, AA	Min. AA		
Resistance to Stain	IS 13630 Part-8	Min. Class 1	Class I, Min.		

PACKING DETAILS					
DIMENSION (MAM)	BOX				
DIMENSION (MM)	Tiles/Box	Coverage/Box(SqFt.)	Coverage/Box(Sq-Mtrs.)	Thickness	
200x1200	5	12.91	1.19	9 mm	



Decors & Parking / 200 X 200 mm

CHARACTERISTICS	TEST METHOD	IS 15622:2017 GROUP - B IA - REQUIREMENTS	OUR VALUE		
DIMENSION & SURFACE QUALITY					
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.10%	± 0.10%		
Deviation in Thickness (%)	IS 13630 Part-1	± 5,0%	± 4.0%		
Straightness of Sides (%)	IS 13630 Part-1	± 0.10%	± 0.10%		
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.10%	± 0.10%		
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.2%		
Surface Quality (%)	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects		
PHYSICAL PROPERTIES					
Water Absorption	IS 13630 Part-2	Avg.≤ 0.08 %, Ind-0.1 %	Avg.≤ 0.06 %		
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm², Ind32 N/mm²	Avg. 38 N/mm²		
Breaking strength	IS 13630 Part-6	Thickness< 7.5mm -700N Thickness≥ 7.5mm-1300N	Min. 1600N		
Resistance to Surface Abrasion (Glazed Tiles) (PEI groups II III IV V)	IS 13630 Part-11	Min. Class II	Class III-V		
MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5		
Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2		
Moisture Expansion	IS 13630 Part-3	0.02mm/m	< 0.02 mm/m		
Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min		
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	Passed		
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	Passed		
Frost Resistance	IS 13630 Part-10	Resistant	No damage		
Co-Efficient of Linear Thermal Expansion	IS 13630 Part-4	6X10 ⁻⁶ K ⁻¹ Max.	5X10 ⁻⁶ K ⁻¹ Max.		
CHEMICAL PROPERTIES					
Resistance to Household Chemicals	IS 13630 Part-8	Min, AA	Min. AA		
Resistance to Stain	IS 13630 Part-8	Min, Class 1	Class I, Min.		

PACKING DETAILS					
BOX					
DIMENSION (MM)	Tiles/Box	Coverage/Box(SqFt.)	Coverage/Box(Sq-Mtrs.)	Thickness	
200x200 (Decors)	25	10.764	1.0	8 mm	
200x200 (Parking)	17	7.32	0.68	12 mm	

Solids Full Body / 600 X 600 mm / 600 X 1200 mm

CHARACTERISTICS	TEST METHOD	IS 15622:2017 GROUP - B Ia - REQUIREMENTS	OUR VALUE		
DIMENSION & SURFACE QUALITY					
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.10%	± 0.10%		
Deviation in Thickness (%)	IS 13630 Part-1	± 5.0%	± 4.0%		
Straightness of Sides (%)	IS 13630 Part-1	± 0.10%	± 0.10%		
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.10%	± 0.10%		
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.2%		
Surface Quality (%)	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects		
PHYSICAL PROPERTIES					
Water Absorption	IS 13630 Part-2	Avg.≤ 0.08 %, Ind-0.1 %	Avg.≤ 0.06 %		
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm², Ind32 N/mm²	Avg. 38 N/mm²		
Breaking strength	IS 13630 Part-6	Thickness< 7.5mm -700N Thickness≥ 7.5mm-1300N	Min. 1500N		
Resistance to Deep Abrasion (Unglazed Tiles)	IS 13630 Part-12	140, Max.	130, Max.		
MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5		
Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2		
Moisture Expansion	IS 13630 Part-3	0,02mm/m	< 0.02 mm/m		
Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min		
Crazing Resistance	IS 13630 Part-9	NA	NA		
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	Passed		
Frost Resistance	IS 13630 Part-10	Resistant	No damage		
Co-Efficient of Linear Thermal Expansion	IS 13630 Part-4	6X10 ⁻⁶ K ⁻¹ Max.	5X10 ⁻⁶ K ⁻¹ Max.		
CHEMICAL PROPERTIES					
Resistance to Household Chemicals	IS 13630 Part-8	Min, AA	Min. AA		
Resistance to Stain	IS 13630 Part-8	Min. Class 1	Class I, Min.		

PACKING DETAILS					
DIMENSION (MM)	BOX				
DIMENSION (MM)	Tiles/Box	Coverage/Box(SqFt.)	Coverage/Box(Sq-Mtrs.)	Thickness	
600x1200	2	15.50	1.44	8.5 mm	
600x600	4	15.50	1.44	8.5 mm	